



Phone.+81-568-56-2311 Facsimile, +81-568-56-2312

Direct/Inquiries about mail order, business sales and parts, please contact here.

Phone.+81-568-29-8711 Facsimile.+81-568-29-8715

Showa Create Co., Ltd.

3-9, Kanegaguchi-cho, Kasugai, Aichi, 486-0813,
Japan Business hours: 9:30-18:30 Closed on Mondays, 1st and 3rd Tuesdays













Your Special Jimny from Showa GARAGE!

We offer original parts sales, customization consultation, various maintenance services, and of course, complete cars, We provide total support for a reliable car life in the best condition.



We offer a variety of new car complete car packages at reasonable prices.

Showa GARAGE offers a variety of complete car packages, which are based on new cars and equipped with a full range of custom parts. The exterior, interior, suspension, and other parts have been assembled by professional mechanics, and are available at a reasonable package price. The package also includes a 3-year vehicle inspection and a manufacturer's warranty, making it possible for first-time buyers to drive a custom car with peace of mind. For more details, please refer to the separate complete car catalog.

INDEX

4	JDU4/ / 4		
TERIOR	6	EXTERIOR	
4		A-x	
4 CTERIOR	10	LAMP	
TERIOR	10	INTERIOR	
		SUSPENSION	
		MUFFLER	
		SOUP-UP	

	JB23/33/64/74	
12	WHEEL	4
16	ID22 /22 /42	
17	JB23/33/43	
20	EXTERIOR	5
41.00	LAMP	5
28	The second secon	
36	MUFFLER	5
30	INTERIOR	5

SUSPENSION

MM A-X		For CARRY
Aluminum Roof Rack	58	LAMP
Camping Gear	61	INTERIOR
LIGHTNING LAMP	62	For HIACE and C
		OTHER PARTS







Lightning

Powered ECU

JB74 Showa GARAGE Demo Car / Parts Configuration SHOWA RACING RAUGH MESH DREIGN

Skid plate Black

• LED fog lamp Inner black/white

• LED side marker Type 3 clear/inner black

• A-x Roof rack L size wide with foot

• Rear ladder 30mm back Aluminum

Armrest leather yellow ochre

Digital clinometer type 2

• LED sequential door mirror blinker Type2 clear

EXTERIOR

- ABS Front bumper spoiler Black (grained)
- ABS rear bumper spoiler type2 Black (grained) Spare tire moving bracket, directly upward movement type
- ABS front grille Dark gray metallic
- LED front blinker lamp Type 2 clear
- LED high mount stop lamp Type2 • LED tail lamp Clear/Red bar
- A-x awning

INTERIOR

- Seat cover Old series Piping yellow ochre
- Combination steering wheel mat (walnut)
- **ENGINE & POWER TRAIN**
- Links muffler Powered ECU Spec1 regular spec

SUSPENSION

SG Adjustable Coil 75 X-SHOCK BA Set

• Reinforced trailing arm Reinforced type *1: Optional

- Rear shock spacer set
 - Brake hose down stay
- ABS extension stay

- SG Adjustable Coil 75 X-SHOCK for 3 inches up
 - Short sway bar link

 - High capacity bump rubber
- Stainless steel mesh brake hose*1
- Lateral rod correction bracket
- Sway bar down spacer Front and rear lateral rods Propeller shaft spacer
 - Reinforced leading arm

TIRE/WHEEL

● TOYO OPEN COUNTRY M/T 30×9.50R15LT 104Q ● R8 15×6.0J ±0 Mat black



The Showa Style JB74 is an all-around vehicle that can be used in all kinds of situations.

«Parts Introduction Movie



ABS rear bumper spoiler designed to match the square exterior of JB74. The shape of the bumper spoiler covers the back part of the tail lamps to protect them from rainwater and mud that may splash from the tires. The tail lamps for JB64/74 can be installed with the genuine and external tail lamps. Note that some cutting or other adjustments may be required to install the lamps.



*Not compatible with Type 4

ABS Rear Bumper Spoiler Type2

For JB74 **E00660** Unpainted **¥50,000**

E00661 Black (grained)* ¥67,000 *Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly darker and blacker than Genuine bumper.

E00662 Genuine color (JPN) ¥67.000

ABS Rear Bumper Spoiler Based on the sharp Dustproof and drip-proof style of Type 1, a new number pocket is added. Although the spare tire must be moved on this model, the license plate can still be installed as before, allowing for cost-saving customization. Dustproof and drip-proof design with full coverage of the area behind the tail lamps. Pre-drilled hole

for stock rear view camera. Fits to stock tail lamps and external tail lamps

for JB64/74. Cutting and other adjustments may be required for installation *Not compatible with Type 4 rear parking sensors.



AES Side Garnish For JB74 E00207 ¥43,000

Rear Bumper Guard For JB74 E00153 ¥30,000

Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and the mounting position and angle can be adjusted. Ideal for customizing the rear area of lifted vehicles.



Skid Plate For JB74

The skid plate greatly affects the impression of the front area. It protects the engine and parts under the floor from road protrusions and stones. Required when installing our front bumper spoiler. No drilling is required and it can be installed completely by bolt-on. The main body is made of aluminum with a thickness of 3 mm, and the mounting bracket is made of steel with a thickness of 3.2 mm, providing sufficient strength. Available in two colors: black anodized aluminum and silver (plain)

EXTERIOR Exclusive exterior for JB74





ABS Front Bumper Spoiler

*Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly darker and blacker than Genuine bumper.

E00602 With hole E00622 Without holes

¥48.000 each

¥63,000 each

Genuine color (JPN)

¥63,000 each

● Unpainted E00600 With hole E00620 Without holes

● Black (grained)* E00601 With hole E00621 Without holes

ABS front bumper spoiler designed to match the square

good approach angle. Fits to the factory fog lamps

(cutting of interfering parts is required). Our LED fog

headlight washers with holes (JC grade) and without

exterior of JB74. The sporty look with a low profile and a

lamps (sold separately) are also compatible. Two types of

holes (JL grade) are

available. Includes mesh

net (black) to be attached to the front license plate bracket and duct. Installation of our optional skid plate is required.

E00038 Black ¥15.500



E00039 Silver (bare) ¥13.000



Side Step

For JB74



selectable. Vehicle inspection compliant. *AES side garnish is required for installation.

The side sill cover exclusively for

JB74 is made of AES material with

high weather resistance. Along with

dressing up the vehicle, it protects

scratches when getting in and out of the vehicle. The design matches the wide fenders of the Jimny Sierra to enhance the sense of unity.

* Side steps can be installed when this product is installed.

the body from flying rocks and

F00173 ¥105,000 E00174 Left side **¥53.000** F00175 Right side **¥53.000**

Strong side steps made of steel. The simple design with only pipes makes it compatible with A-x Roof Rack and Rear Ladder (sold

separately). The baked-in grained paint finish gives it a good quality feel. Can be bolted directly to the rudder frame. Long/short type



ABS products do not generally require modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. Please be sure to paint the product before use



Stylish exterior with a strong presence, designed to match the silhouette.

The suspension was finished without any compromise in comfort and driving performance.

From on to off duty, it will suit your lifestyle.

It is an all-round model that is sure to be active

in every scene.

This is an all-round model.

Parts Introduction Movie e «Image Video





JB64 Showa GARAGE **Demo Car / Parts Configuration**

- **EXTERIOR** ABS Front bumper spoiler Genuine color (JPN)
- Skid plate BlackGenuine color (JPN) rear bumper spoiler
- 9mm wide fenders Genuine color (JPN)

- FRP Rear Wing
- LED license plate transfer kit (with drilling)
- LED fog lamp Inner black/white

INTERIOR

- Armrest Black with black stitching
- Combination steering wheel Real carbon
 3D non-slip floor mat front/rear set
 3D non-slip luggage mat

- LED room lamp Digital clinometer type 2

ENGINE & POWER TRAIN

- Links muffler
- Powered ECU Spec2 High-octane specification
- Oil Cooler Kit

SUSPENSION

1inch Lift Up Kit ENNEPETAL E-12 Latte Set ● 1 inch Lift Up Coil

- ENNEPETAL E-12 Shock Absorber
- Stainless steel mesh brake hose*1
- Front and rear lateral rods
- Caster bush
- X-SHOCK Steering Damper

TIRE/WHEEL

- TOYO OPEN COUNTRY R/T 185/85/R16
- SR432 16x5.5J +20 Gloss Black

is also environmentally friendly because it reduces painting costs as a byproduct,

*Durability depends on the environment in which the product is used.

including construction materials and automotive exterior parts. Incidentally, some ABS resins deteriorate to white in less than a year when used outdoors without coating, but AES resins can be used outdoors for a relatively long period of time.

Rear Bumper Spoiler Type 1 For JB64 *Up to Type3 This rear bumper spoiler is smartly designed to match the square exterior of JB64. The rea bumper spoiler covers the back part of the tail lamp to protect the lamp from rainwater and mud from the tires. Note that some cutting or other adjustments may be required to install the lamps. The license plate number and spare tire need to be moved. *Not compatible with Type 4 rear parking sensors. 《Made of ABS》 E00400 Unpainted ¥44.000

E00401 Black (grained)* ¥59,000 * Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly and blacker than Genuine bumper.

Genuine color ¥59,000

(Made of FRP) E00045 Unpainted (gel coat finish) ¥36,000

Rear Bumper Spoiler Type2 For JB64 *Up to Type3



Based on the square silhouette rear bumper spoiler with impressive duct design, a license plate pocket is added. Only the spare tire needs to be moved and cost-saving customization is possible. Reliable dust-proof and drip-proof design protects tail lamps from rainwater and mud. Drilled holes for the factory rearview camera have been machined, allowing installation of JB64/74

factory and external tail lamps. Cutting and other Dust-proof and drip-proof adjustments may be required for installation. *Not compatible with Type 4 rear parking sensors.

《Made of ABS》

E00430 Unpainted ¥51,000 E00431 Black (grained)* ¥66,000

*Semi-glossy black like the genuine bumper. Genuine color(JPN), slightly darker and blacker than Genuine bumper

Genuine color ¥66,000

Rear Bumper Spoilerr ALTO tail spec For JB64

Developed based on the tail lamp for ALTO (compatible model: for HA36 made by Embro or 415COBRA). Stylish finish. The back of the tail lamp is covered to protect the lamp from rainwater and mud that may splash from the tires. The FRP model has an unpainted gel coat finish. *Not compatible with Type 4 rear parking sensors.

(Made of ABS) E00420 Unpainted ¥44.000

E00421 Black (grained)* ¥59,000

*Semi-glossy black like the genui bumper. Genuine color (JPN), slightly darker and blacker than

Genuine color **¥59,000**



MBRO LED Tail Lamps for HA36 ¥30,000 each

Tail lamps for Showa GARAGE's Rear bumper spoiler (ALTO tail spec.).



Rear Bumper Guard For JB74 E00152 ¥28,000

Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and

and angle can be adjusted. Ideal for customizing the rear area of lifted vehicles.

the mounting position





9mm Wide Fender For JB64 E00201 Made by AES ¥50,000

and is currently used in a wide range of fields

E00226 ABS, Genuine color (JPN) ¥63,000 E00221 Made by ABS, unpainted **¥32,000** E00227 Made by ABS, Black (grained) **¥63,000**

About AES resin



The simple yet distinctive design makes the most of the stock fender line and adds a point of interest to the exterior. The overall width after installation is within a certain range of 20mm (within 10mm on each side) of the width stated on the vehicle inspection certificate, and meets safety standards. Wide tires (TOYO OPEN COUNTRY MT 225/75R16, etc.) can also be mounted. In addition to double-sided tape, the front is secured with the factory clips. The rear is secured with bolts (drilling required) and nuts to prevent loosening and body corrosion. The black color with grains like the factory bumper tightens the undercarriage and emphasizes a bold image. (Semi-glossy black with factory-like grain, slightly darker and blacker than the factory bumper).

*This product must be used on registered vehicles that have obtained license plates.

AES Side Garnish For JB64 E00206 ¥35,000

EXTERIOR Exclusive exterior for JB64

A sporty looking front bumper spoiler with a reduced top and bottom size.

• Unpainted E00300 With hole E00320 Without holes ¥45,000 each

● Black (grained)* E00301 With hole E00321 Without holes ¥60,000 each

*Semi-glossy black like the genuine bumper. Genuine color slightly darker and blacker than Genuine bumper.

Front Bumper Spoiler For JB64

It matches the square exterior of JB64. Can be attached to the factory fog lamps (cutting of interfering parts is

washer (XL and XG grade). Includes mesh net (black) to

《Made of FRP》 E00040 Unpainted (gel coat finish) ¥37,000

The skid plate protects the engine and parts under the floor from road protrusions and stones. It is a part that gives the front area

an impressive style. Required when our ABS front bumper spoiler

completely by bolt-on. The main body is made of aluminum with a

thickness of 3mm, and the mounting bracket is made of steel with

a thickness of 3.2mm, providing sufficient strength. Available in

is installed. No drilling is required and it can be installed

two colors: black anodized aluminum and silver (plain).

required). ABS type has a hole for headlight washer (XC grade) and FRP type has a hole for headlight

be attached to the front number bracket and duct.

Both require installation of our optional skid plate.

• Unpainted (gel coat finish) ¥60.000

Skid Plate For JB64

Side Step For JB64

E00170

E00172

¥57.000

Left side **¥29,000**

Right side **¥29.000**

《Made of ABS》

Side sill covers for JB64 finished with weather-resistant AES material. It protects the body from scratches caused by flying rocks or when getting in and out of the car at the same time as dressing up the car. By blacking out the lower part of the body, the height of the vehicle is visually raised. 9mm wide fenders can be used together with this





E00037 Silver (base material) ¥15.000

garnish to create a more elegant look.





ABS products do not require any modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products have many individual differences during production and require adjustment such as modification, processing, etc. and painting before installation

E00036 Black ¥17,500

Rack and Rear Ladder (sold separately). Baked-in grained paint gives it a good quality feel. Can be bolted

E00173

E00175

¥105,000 F00174

Left side **¥53,000**

Right side **¥53.000**

directly to the rudder frame. Long/short type selectable. Vehicle inspection compliant

Strong side step for JB64 made of steel. The simple design with only pipes makes it compatible with A-x Roof

EXTERIOR Common exterior for JB64/74

Carbon Bonnet

*Clear painted

FRP Bonnet

*Unpainted gel coat finish

For JB64/74 E00701 ¥72.000

This is a carbon hood made by L-RTM method. The carbon model weighs approximately 6.7kg, 4.8kg less than the factory model. The back side of the hood has a ribbed structure similar to that of the factory hood, with sufficient strength taken into consideration. Each catch and installation part is also highly precise. The For JB64/74 E00700 ¥120.000 product is beautifully clear coated to ensure durability. The L-RTM construction method allows for a smooth finish, and combined with the clear coating, the appearance is almost mirror-like. Even the corners of the product have an even weave. The carbon fiber grain uses a twill weave, which is considered to have a beautiful appearance. Generally speaking, the farther the weight is from the center of gravity of a car, the greater the effect on mobility. The hood is also highly effective in reducing weight due to its position, and has a great impact on handling and other aspects of the vehicle. For Jimny, which is not even lightweight, weight reduction is a major tune-up for its dynamic performance.



What is L-RTM method?

The L-RTM process is a molding method that uses male and female molds. After the fiber is set in the mold, a vacuum is created inside the mold. The resin is then injected into



the mold and cured to form the product. The hickness of the product is even and the strength is ess likely to be uneven. making it lighter than

FRP Rear Wing For JB64/74

E00710 ¥35,000

This FRP rear spoiler gives the JB64/74 a sportier look. Although small in size, it adds a little accent to the

tail. The exquisite size and design make it look like a genuine option without any sense of discomfort. The gate opening/closing and visibility of the high mount lamps are not affected at all, and it is just as easy to use as stock. No drilling or other modification to the body side is required for installation, and the included double-sided tape and metal clamps (4 pieces in total on both

sides) can be used to firmly fix the product in place. *Unpainted gel coat finish. *Cannot be used in combination with our rear ladder.



ABS Front Grille ABS front grille with simple design and no manufacturer's logo. The grille is an important part that determines the exterior impression, and since ABS resin does not have good weather resistance, we recommend painting the grille

before use. The original color Black (grained) is a genuine semi-glossy black paint with grains. The color is slightly darker than Genuine color (JPN).





E00503 Genuine color (JPN) **¥32.000**



Dark Gray Metallic ¥29,000



Blueish Black Pearl 3 (ZJ3) ¥29.000

For JB64/74

ABS Sports Grille A four-bar design front grille made of impact-resistant ABS material. The spindle-shaped opening line is a perfect match with the front bumper spoiler. Choose from unpainted or colored settings that do not require painting. The original color, Black (grained), is a genuine semi-glossy black paint with grains, which gives a slightly darker finish than the factory bumper







	Standard
E00510	Unpainted ¥39,000
E00511	Dark Gray Metallic ¥54,200
E00512	Black (grained) ¥54,200
E00513	Genuine color (JPN) ¥54,200
E00514	Blueish Black Pearl 3 (ZJ3) ¥54,200
	Eveline Style

(Eyeline Style	
	E00520	Unpainted	¥39,000
	E00521	Dark Gray Metallic	¥54,200
	E00522	Black (grained)	¥54,200
	E00523	Genuine color (JPN)	¥54,200
	E00524	Blueish Black Pearl 3 (ZJ3)	¥54,200

LED License Plate Transfer Kit This is an essential part when there is no space to mount a license plate on the rear bumper. The permal space tire position interference is no space to mount a license plate on the rear bumper.

With drilling

The mounting bracket is made of stainless steel and the license plate light is ¥10,800 made of resin to prevent rusting. Drilling is required for installation. JB33, 43, and 74 should have their license plates resealed. Includes Showa Garage logo sticker that can be attached to the license plate light.





Exclusive for JB64/No drilling required

No drilling is required. The license plate light is made of resin so it will not rust, ¥15,000 and LEDs are used for long life. Includes Showa Garage logo sticker that can be attached to the license plate light. Cannot be used at the same time as the spare tire moving bracket. JB74 non-compliant products.





License Plate Moving Bracket

The normal spare tire position interferes with the plate, so the use of a spare tire transfer bracket (sold separately) or removal of the spare tire is required. Made in Japan.

For JB64/74 E00020 ¥2,300



Bracket used when moving the license plate number. The set includes only the mounting bracket (stainless steel). No license plate light or bolts are included. The pitch of the holes for the license plate light is 200mm.

LED License Lamp For JB64/74 E00110 ¥6.800

Directly upward movement type


¥26.800

LED license plate light with resin used for the lamp body and lens. Screw pitch 200mm, wiring length approx. 190cm, with Showa Garage logo sticker. Made



Spare Tire Moving Bracket

Bracket to move the spare tire to the upper right or upper right. Required when installing Showa GARAGE rear bumper spoiler. Prevents interference with straight bumpers, and also supports changes to larger diameter tires (225/75R16, etc.). The model with the upper right movement also secures a space for relocating the license plate number.



Vehicle Inspection (in Japan)

Many conventional brackets for mounting a spare tire facing outward exceed the dimensions of mini vehicles and are not in compliance with safety standards. The bracket for JB64 is divided into a base part and a tire-mounting part, and the base part and the tire-mounting part are joined by a "simple installation method" that allows easy removal without tools, thereby clearing various problems. The product fits within the standards for mini vehicles and can pass vehicle inspections without the need for formalities.

JB64 Vehicle Inspection Compliant, facing outward

E00022

For JB64 E00021

¥29.800

The unique structure meets safety standards. Car inspection compliant There are two types: a model that moves 82mm to the right and 106mm upward, and a model that moves 106mm straight up. The model with the right upward movement also secures space for mounting a license plate number. Please prepare 3 nuts for wheel mounting.





JB74 Vehicle Inspection Compliant, facing outward

Includes rubber to prevent tire shake

For JB74 E00019 Upper right movement type

¥26,500 E00047 Directly upward mo

¥23,000 There are two types of models: one that moves





Upper right movement type Directly upward movement type

For JB64/74 **E00018 ¥9,000**

Moves 50mm to the right and 100mm to the top. Assumes standard to 195 size tires (up to 6.50R16 or 225/75R16). The width from the original to the rear is about 25mm. If our front bumper spoiler and rear bumper spoiler are used, they fall within a certain range, so the continuing inspection is compliant. If other manufacturers' bumpers are used, the front bumper will be within the same width as the normal bumper, and the rear bumper will be within the specified range provided that the rear edge of the bumper does not extend beyond the

last edge of the spare tire bracket, and the vehicle will be compliant for the conti



Mesh Net General purpose

Aluminum honeycomb mesh net (mesh size: 18 mm x 9 mm) and ABS resin honeycomb mesh net (mesh size: 30 mm x 13 mm) can be freely used to create a luxurious Euro style or a sporty style. The ABS mesh net is flexible and can be shaped by using a heat gun, etc. The aluminum mesh net is painted gloss black. Aluminum mesh is painted gloss black

Aluminum mesh net ¥1,700(100cm×35cm)



E23001 ABS honeycomb mesh net ¥2,000(120cm×40cm



EXTERIOR Common exterior for JB64/74



Rear Ladder Aluminum 30mm Back

For JB64/74

Standard type ¥34.000 E00157

Wide type **¥36.000**

Rear ladder to be attached to the rear gate hinge. Rust-resistant and highly durable aluminum material is used. Convenient when using a roof rack or other equipment. By attaching it to the hinge, the distance between the fulcrum and the point of force is shortened to reduce the load on the rear gate. The slim shape prevents interference even when large-diameter tires (225/75R16, etc.) are mounted diagonally right above the factory position. Compared to the previous model, the mounting portion has been extended by 30mm to allow a greater distance from the gate and make it easier to place a foot on the gate. A wider type with a width of approximately 55mm for even greater ease of use is also newly added to the lineup. The color is a heavy finish with the well-known Wrinkle coating (baked crystalline coating) of A-x roof racks. Made in Japan. By using the optional spacer, the clearance to the gate can be increased by 10mm, making it even easier to use. Please use the non-slip tape to prevent the gate from stepping off. *Cannot be used with FRP rear wing.



For JB64/74

E00143 For steel and stainless steel E00156 For aluminum

¥2,400 each

Innovative screw kit with high level of security, completed by a group of skilled screw craftsmen. Ideal for preventing theft of the rear ladder. The use of stainless steel makes it rust-resistant and aesthetically pleasing to the eye. The kit includes a special tool and two types of bolts (one long and one short). The long bolt is for the optional 10mm rear ladder spacer, and the short bolt is for when the 10mm spacer is not used.



E00141 For Standard type ¥600 5 pieces E00158 For Wide type

10mm Spacer

By using this spacer, the

put your foot on.

Non-slip Tape for Rear Ladder

clearance between the ladder and the rear gate is increased by

10mm. The toe can be placed further back, making it easier to

For JB64/74


E00145

for Rear Ladder

m ¥2.800 each

¥800 5 pieces

Non-slip tape provides a secure grip. The standard tape is approximately 10 cm long, and the wide tape is approximately 13 cm long in strips. The back side is a sticker, so it is easy to apply and install.



Standard type





Door Mirror Visor Cover

For JB64 XC/74 JC

E00250 ¥20,000 right and left set

Out mirror visor covers with a distinctive pattern that changes expression depending on the angle of view. No modification is required, just replacement, to add individuality to the door surroundings.





ABS Fuel Lid Cover

For JB64/74

E00210 Unpainted ¥2,500 E00211 Black (grained) ¥5.800



Three ribs on the surface create a tough image. The quality of the product is excellent, and it can be installed on any body color. Easy to install with only double-sided tape. Fits perfectly to the factory fuel lid. Usability, such as opening and closing, will not change at all.

*ABS resin has poor weatherability, so we do not recommend using the product unpainted, as it will deteriorate

Muffler Cutter For JB64/74 E00052 ¥9,000

Designed exclusively for JB64/74, this muffler cutter gives a sporty look to the rear end. Manufactured by 5ZIGEN, a long-established muffler manufacturer. With dropout prevention mechanism. Made of stainless steel. Showa GARAGE logo. (Type 4 is not confirmed to fit.)





Spare Tire Cover For JB64/74/23/43

Illustrated pattern ¥4,300 each

Spare tire cover to decorate the back of your Jimny. A wide variety is available. Can be installed on 175/80R16 (JB64, JB23 standard tire), 195/80R15 (JB74 standard tire), 205/70R15 (JB43 standard tire), and 185/85R16. Not for installation on 185/85R16.





E01001 Top

E01005 Showa Garage A



E00076 Lantern



E01002 Bud



E01006 Showa Garage B







E00077 Compass



E01000 Minnows



E01003 Type 74



E01007 A-x



E01004 Special 64



E00070 ¥3,000



E00155 Gunmetal ¥4,800 right and left set











Mobase carriler required foot for enhanced includes special foot for enhanced includes special foot for enhanced

Designed exclusively for Jimny Light weight aluminum A-x roof rack For JB64/74 Fusion of lightweight aluminum and heavyweight steel.

The baked crystalline coating on the exterior gives it a lightweight aluminum appearance, yet it feels as heavy as steel. It does not rust. The uniquely designed wind shield suppresses air resistance and reduces wind noise. This roof rack is available in a wide range of sizes for multiple uses.







A-x roof rack Standard Type ML Half size General purpose E20011 ¥36,000

you like. It can also be used with various roof box and a cycle/winter carrie

Half-size is flexible and Weight: 6.9kg Dimensions (outside): can be used in any way Length 150cm, Width 62cm, Height 13cm Dimensions (inside): 120cm × 55cm





Cargo Net General purpose Ideal for securing outdoor gear such as containers and tents. The hooks are movable, allowing for a high degree of freedom in adjusting the degree of cargo hanging. Made of resin that is resistant to breakage, strong, and has relatively low aggressiveness to objects. Moderate elasticity of approximately 150% provides both ease of use and fixing force.

Compatible roof rack sizes are for reference only.

E20045 S size (90cm×90cm) ¥2,700
*Compatible with A-x Roof Rack S size and M size E20046 M size(100cm×100cm) ¥3,000 Compatible with A-x Roof Rack M Size Wide, M Size Super Wide, L Size, and L Size Wide

E20047 L size (120cm×100cm) ¥3.300 Compatible with A-x Roof Rack L Size, L S L Super Wide, and LL Size

The size of the corresponding net varies greatly

depending on the actual roof rack used and the shape and amount of cargo. Please select the size after considering the elongation ratio of the product

		(cm)	(cm)	(%)
_	S size	(90×90)	150×150	166
)	M size	(100×100) 160×160	160
	L size	(120×100) 180×160	150×160
	*Elongat	ion rate is r	neasured by hand an	d may vary.

UNIFAS iGuard Anti-theft Bolt/Nut

General purpose E20033

For roof rack with foot **¥2,400** set of 2

screw kit with a high degree of security. It is easy to



remove and install using a special tool, and the For Roof Rack Standard stainless steel used makes it rust-resistant and ¥4,500 set of 2 protects the car in a visually pleasing manner.

Base Sheet for Hooks IN103

E20032 For 4 hooks ¥800 4 sheets

E20034 For 6 hooks

¥1,200 6 sheets

Protective sheets to prevent scratches on the roof when the car carrier is installed. Can be securely attached to curved surfaces and peeled off without leaving

adhesive residue. The micro-adhesive type prevents dust from penetrating for a long period of time and protects from scratches. The special transparent sheet makes it inconspicuous.

A-x Awning General purpose

E20120 2.0m(W)x2.5m(L) approx. 8kg ¥33,000

The unified design of the same brand is even

more impressive when combined with the A-x Roof Rack. Easy to set up and take down. It fits neatly into the side of the roof rack without affecting the cargo bed, and the load capacity remains the same. The canvas is made of 420D oxford and has a water pressure resistance of 3000mm, which is a sufficient spec. The telescopic aluminum poles can be adjusted freely according to weather and sunlight. The soft case is also durable and can be used with peace of mind. Pegs and guy ropes are included. *Can also be attached to roof racks from other manufacturers if the size fits.



For A-x Roof Rack with Foot **Awning Mounting Stays** General purpose

E20110 Set of 2 ¥5,500 E20111 Set of 3 ¥8,000

Exclusive for A-x Roof Rack with Foot. Made of stainless steel, with

bolts necessary for attaching to the roof rack. The long holes are compatible with all awning manufacturers. The mounting pitch is 40-50mm, and the bolts are M6 or M8. Bolts and nuts for attaching awnings are not included.

For A-x Roof Rack Standard Type Awning Mounting Stays

E20112 Set of 2 ¥11.600 E20113 Set of 3 ¥17,400



Stainless steel stays for attaching an awning to the A-x Roof Rack Standard Type. Completely bolt-on, no modification required. Includes all necessary bolts for attaching to the roof rack. All bolts are made of rust-resistant stainless steel. The mounting pitch is 35-65mm, and the bolts are M6 or M8. Compatible no only with A-x awnings, but also

with awning products from other awning manufacturers; products from ARB and BLAST TRAIL have been tested for compatibility. *Bolts and nuts for attaching awnings are not included.





LED Tail Lamp For JB64/74

Original all-LED tail lamps. Can be installed on both stock and external bumpers. Blinkers (16 LEDs per side) are sequential outward (switchable to normal lighting). LED bar type (34 LEDs per side) for the small lights, 25 LEDs per side for the brake lamps, and 6 LEDs per side for the back-up lamps. Includes a resistor to prevent high-flash, ABS lamps, and ESP lamps from illuminating incorrectly.





E00160 ¥31.000 right/left set

E00166 ¥31,000 right/left set









E00162 ¥31,000 right/left set













E00164 ¥31.000 right/left set

LED Fog Light Inner Black For JB64/74

Inner black for a calm look; 5W×3 LEDs; IP68 waterproof and dustproof design; aluminum housing with heat sink; lens and body made of polycarbonate. Aluminum housing with heat sink, lens and body made of polycarbonate, with optical axis adjustment function. Two colors are available: white for high visibility and fashionable, and yellow for easy visibility in bad weather such as rain, fog, and snow.







¥12,600



¥12.600









LAMP Lamps for JB64/74

LED Front Blinker Lamp Type 1 For JB64/74

Monotone and simple design blinker. It matches all vehicles without choosing the color of the vehicle to be installed. With illumination ring. Available in two colors: clear and smoke. Includes high-flash prevention resistor and branching tap for wiring. By using the separately sold "Coupler-on Resistor Set for LED Blinker", you can securely install without troublesome wiring modification.



Clear lenses



¥5,100 right/left set



F00093

¥5,100 right/left set









LED Front Blinker Lamp Type 2 For JB64/74

Transparent and clear lenses give a clean impression around the front. With illumination ring. Includes high-flash prevention resistor and a branch tap for wiring. Optional "Coupler-on Resistor Set for LED Blinker" allows for secure installation without troublesome wiring modification.





E00094 ¥8,000 right/left set



E00095 ¥8,000 right/left set







LED Sequential Door Mirror Blinker Type 1 For JB64/74

This LED sequential blinker fits perfectly to the genuine door mirrors of JB64XC and JB74JC, and lights up in a line-like gradation without any noticeable LED particles (bulbs). ECE standard product.









LED Sequential Door Mirror Blinker Type 2 For JB64/74



Sequential type door mirror indicator which is standard equipment for JB64XC and JB74JC.

The edgy LED design lights up from the inside to the outside in a smooth spreading manner. ECE standard product.









LED Side Marker Type 1 For JB64/74 Two types of 8 LED type with clear lens and smoked lens. High brightness 3030 SMD chip is used for crisp and clear emission. Can be installed without wiring.



E00103

E00105

Inner black

¥3,800





《QR code is a link to the product video

E00102



Inner chrome ¥3.800



E00104 Inner black ¥3,800

LED Side Marker Type 3 For JB64/74

Equipped with high brightness 3030 SMD chip, 10 LEDs emit vivid light.

Two types of lenses are available: clear lenses with high transparency and smoked lenses with subdued tones.

Chrome or black inner base can be selected. Installation can be done by simply connecting the coupler without any modification to the wiring.





E00111 Inner chrome ¥4,200



E00112

Inner black

¥4.200



Resistor Mounting Plate Set of 2



E00113 Inner chrome ¥4,200



F00114 Inner black ¥4,200

Coupler-on Resistor Set for LED Blinker

For JB64/74



These resistors prevent the high-flash that occurs when converting

from incandescent bulbs to LED Blinkers. It is a general-purpose product and can be used with our LED front winker lamps. No damage to the wiring, just plug in the

coupler. It works reliably and has excellent durability.

resistor attached to the coupler-on resistor or LED blinker. The large aluminum plate acts as a heat sink, and by using the existing screws and

Aluminum plates to fix the

for LED Blinker Lamps





holes in the car body to directly fix the resistor to the steel plate part of the body, heat conduction is improved and the resistor, which generates a lot of heat, helps to dissipate the heat. The threaded hole pitch of the resistor is 46mm.

Uses 9 high-brightness LEDs. Can be installed without modification. Comes with a tool for removal.

LED High Mount Stop Lamp Type 2 For JB64/74 E00083 ¥4,500







LED High Mount Stop Lamp Type 3 For JB64/74 E00085 ¥4,800

The finely segmented bar type lens cut gives a cool impression. Lens color is smoke. Easy to install, just replace the factory high mount lamps. No troublesome wiring work is required.











INTERIOR Common interior for JB64/74

Steering Wheel For JB64/74

Slightly thicker than the factory steering wheel, with a cross-sectional shape that emphasizes operability. It is easy to grip and has a great feel to the touch. The shape of the thumb rest (the hollow part at 9-3 handle position) has also been optimized to ensure comfort. The frame is made of lightweight yet strong aluminum. It contributes to rigidity and safety. The air bag, switches, and covers are used as they are from the factory, making it compatible with all grades of JB64/74. All fabrics are made of genuine leather.



Combination Steering Wheel Real Carbon

¥36,000 each

Beautiful texture unique to real carbon. The natural depth that cannot be expressed by printing such as hydraulic transfer is realized. Layers and layers of clear paint also make the carbon cloth stand out even more. Stitching color can be selected from red and black.






Combination Steering Mat

¥22,000 each

Matte finish for a calm and chic atmosphere. The smooth feel makes steering operation more light. Available in walnut, white ash and ebony. Stitch color can be selected from red or black.











Combination Steering Wheel Gloss ¥22,000 each





Available in brown wood and piano black. Stitching colors are red and black. *Brown wood is not natural wood but wood style.



Leather-wrapped Steering Wheel High-end Model

¥34.000 each

Higher grade leather is used than the standard model, and smooth leather and perforated leather are used according to the part to be operated to improve the

quality feel. Baseball type stitch pattern is used. It is less likely to come into direct contact with the threads, and has improved durability. Stitching Four colors are available: red, black, silver, and yellow.















Leather-wrapped Steering Wheel Standard Model

¥22.000 each

Perforated genuine leather is used for a comfortable feel in the hand and improved texture. European type stitching is used, and the red stitch color adds accent to the all-black steering wheel. Black stitch color is also available, so please choose according to your preference.







Steering Boss For JB64/74 100109 ¥13,000

This boss is indispensable when converting to an external steering wheel such as NARDI or MOMO. The steering wheel is a part that is in constant contact with the driver's body, so it is important that the steering wheel is easy to operate and feels comfortable to the touch. You can choose from small diameter, large diameter, D-shape, deep cone type, etc., and convert it to your favorite steering wheel for a comfortable driving experience. The atmosphere around the cockpit that cannot be experienced with a stock steering wheel will surely enhance your mood. Harness and screws necessary for installation are included. Compliant with safety standards. Made by Works Bell.



Steering Wheel Cover

For JB64/74 **¥3,200** each

PU leather is used, which has elasticity close to that of genuine leather and is pleasant to the touch. The steering wheel cover is made of staggered and flat stitches, which are elastic and strong. The more you use this handmade product, the more comfortable it becomes in your hand and the more stable it becomes even after long hours of driving. The vintage feel of this product coordinates well with the Seat Cover Old Series.















are compatible with side airbags

INTERIOR Common interior for JB64/74

Seat Cover Old Brown×Check

For JB64/74 Front and rear set ¥45,000 each *Not available for XG Front set ¥30,500 each

Glen check gives the interior a traditional image. The fabric has excellent air permeability and heat retention properties, so it can be used comfortably all year round regardless of the season. The seat sides are made of PU leather with a vintage feel. The texture is similar to that of genuine leather, and it is easy to maintain.











Seat Cover Mocha×Check For JB64/74



100197 Front and rear set ¥45,000 *Not available for XG 100198 Front set **¥30.500**

Seat covers with a nostalgic antique look. They make the interior bright and warm. The PVC leather sides have a grainy finish to reproduce the texture of genuine leather. Highly water-resistant and stain-resistant, so it can be used without hesitation. It is a perfect match with comfortable fabrics for all seasons.





Seat Cover Denim 100100 Front and rear set ¥38,000 *Not available for XG



100102 Front set **¥22.000** Denim fabric is used to give a casual look to the interior.

The seat covers have a different look as they are used more and more, and can be enjoyed as they age. The back pockets on the back of the front seats are similar to those of denim pants. *The seat cover has been treated to prevent staining, but in rare cases, the color may migrate.





Seat Cover Old Series Piping

Front set ¥25,500 each

Piping is applied to the Old Series seat covers, which are vintage in both design and texture, giving them a pop American taste of the good old days. The retro atmosphere reminiscent of the American cars of the 60's is added while maintaining the high quality of the





Front and rear set 100186





I 00189 Front set







I 00191 Front and rear set I 00192 Front set




Seat Cover Old Series For JB64/74

Front set ¥20,800 each

Luxurious PU leather used for high-class sofas is utilized to create a vintage taste in both design and texture. Although it is synthetic leather, it is also generally referred to as fake leather, and its look, feel, and elasticity can be mistaken for genuine leather.













00138 Front set







I 00134 Front and rear set I 00135 Front set





INTERIOR Common exterior for JB64/74

Seat Cover Black Piping

For JB64/74

Front and rear set ¥23,000 each *Not available for XG

Front set ¥17.000 each

Piping processing applied to the seat sides adds just the right amount of color and accent to the interior. The seat surface skin as well as the piping are grained for a high quality finish. The PVC leather is easy to wipe off rain, dirt, and dust, and is easy to maintain.





100143 Front and rear set















Seat Cover Black For JB64/74

100101 Front and rear set ¥18,000 *Front set for JB64 XC/XL and JB74 JC/JL 100104 Front and rear set ¥18.000 *Front set for JB64 XG

Seat cover with simple design. The front seats have rear pockets. The material is PVC leather. Unlike the genuine fabric, it is highly water-resistant and easy to maintain, allowing for more active use









density and high quality urethane foam, exclusively designed with our original know-how, is effective for long distance and long hours driving. The seat is ergonomically shaped to trace an ideal posture for a driver to avoid fatigue. RECARO has been developing lightweight models for many years by using a resin composite framework that has little effect on weight, and its reliable quality has made it a genuine product of many automobile manufacturers in Europe, the U.S., and Japan.

RECARO LX-F WL110H I 20104 General purpose



White×Silver×Black

The LX-F series is designed to secure RECARO's ideal driving position by adopting high quality urethane foam. It features a stylish form with Euro taste. The center of the seat is made of original mesh material. Laur. A new standard model of comfort seat equipped with seat heater and adjustable air lumbar support.

Color: Black × Silver × Black White×Silver×Black

Without armrest attachment holes ¥162,000 each With armrest attachment holes* ¥165,000 each

*Please specify for driver's seat or passenger's seat.

RECARO LX-F WU110 [20102] General purpose

Tuning of urethane foam hardness, seat depth and shoulder support. Comfort model with flatter seat cushion shape. The sides will be covered with ultra-suede

Color:Black × Silver × Black Brown × Silver × Black

Without armrest attachment holes ¥128,000 each

With armrest attachment holes* ¥131,000 each

*Please specify for driver's seat or passenger's seat.

WU110H I 20103 General purpose

Equipped with 2-stage adjustable seat heater Without armrest attachment holes

¥147,000 each With armrest attachment holes* ¥150,000 each

*Please specify for driver's seat or passenger's seat.



Black×Silver×Black

RECARO SR-S BK100 1 20001 General purpose



This model combines Kamui, a raised material with high grip, and Brilliant Mesh, a new material with excellent breathability. A global standard sports seat with high seating performance and a comfortable hold.

Color: Black × Black, Black × Red, Black × Silver, Black × Blue

¥109,000 each

BK100H I 20002 General purpose

This model is equipped with a two-stage adjustable seat heater.

¥119,000 each

Black×Red

RECARO SR-S UT100 1 20003 General purpose

Standard model of RECARO sports seat, combining high-quality textured ultra-suede and highly durable artifical leather (artificial leather). The three dimensional form, which focuses on seating performance, enhances the enjoyment of sports driving.

Color: Black × Charcoal Grav Red×Charcoal Gray Surge Gray × Melange Gray

¥139,000 each

UT100H I 20004 General purpose

This model is equipped with a two-stage adiustable seat heater.

¥149,000 each



Black×Charcoal Gray

RECARO SR-C BK100 1 20020 General purpose

A highly convenient sports and comfort seat that combines breathable brilliant mesh and grippy Kamui.enjoyment of sports driving.

> Color: Black×Black, Black×Red Black×Silver, Black×Blue

Without armrest attachment holes ¥109,000 each With armrest attachment holes* ¥112.000 each

*Please specify for driver's seat or passenger's seat.

BK100H [120021] General purpose

Equipped with 2-stage adjustable seat heater. Without armrest attachment holes ¥119,000 each

With armrest attachment holes* ¥122,000 each

*Please specify for driver's seat or passenger's seat.

RECARO SR-C UT100 [120022] General purpose

Advanced flat type seat cushion is adopted. The SR-C series is ideal for vehicles with high vehicle height and seating posture. Color: Black × Charcoal Gray

Red × Charcoal Gray Surge gray × melange gray Without armrest attachment holes

¥139.000 each With armrest attachment holes* ¥142.000 each

*Please specify for driver's seat or passenger's seat.

UT100H I 20023 General purpose

Black×Blue

Equipped with 2-stage adjustable seat heater Without armrest attachment holes

¥149,000 each With armrest attachment holes*

¥152,000 each *Please specify for driver's seat or passenger's seat.



Red×Charcoal Gray

Armrest General purpose Armrests for LX-F and SR-C. 121015 For driver's seat ¥11.000 each

For passenger seat ¥11,000 each

*A base that can be attached to the seat itself is required to install the armrest. Color: Kamui Black

Kamui Red, Nardo Black, Nardo Gray, Faux Leather Black Artificial leather black Artificial Leather Surge Grav

RECARO Genuine Base Frame For JB64/74/23/33/43/JA22/11 ¥22,000 each

121003 JB64/74 Right (Driver)



Genuine RECARO base frame that fits different car models. RECARO, which also develops genuine seats I21004 JB64/74 Left (Passenger's seat) for automobile manufacturers, developed the base frame while taking into consideration not only floor installation and positioning of the seat itself, but also forward visibility, steering wheel and pedal positions, and other aspects of in-car packaging. The base frame is designed to comply with safety standards when the genuine base frame is used and the RECARO seat is installed correctly.

INTERIOR Common interior for JB64/74

For JB64/74

Black 100167

Green 100163

Indigo blue 100165

Convenient armrest that also serves as a console box. The L-shaped design allows for easy access to the side brake without obstruction. Armrest Designed specifically for the vehicle, installation is as simple as inserting it into the center console. The front of the lid locks to prevent contents from being scattered. For storing drinks that have been left out of their place due to the installation of armrests, please use the separately available drink holder (Item No. 100040), which can be attached to the air conditioner vent or left and right doors.

Red Stitching	100160	S



Black ¥9,000 each







Gray 100164

Light blue 100166









Drink Holder For JB64/74 100040 **¥2,300**

This drink holder is designed exclusively for JB64 and JB74. Can be used for everything from canned coffee to PET bottles. Can be attached to the driver's and passenger's seat air outlets and doors



Shift Side Storage Case For JB64/74AT 100180 ¥2,500

Denim ¥10.300 each

Storage pocket exclusively for JB64/74AT models. It is easy to reach when you need it and convenient to put in and out. It does not interfere with shifting, steering wheel operation, or pedal operation. Two gusseted pockets, two mesh pockets, and one removable pocket can be used for different purposes. There is also a storage pocket on the passenger's side, which is a nice feature for passengers. Installation is as simple as placing it over the shift section. It is designed specifically for the car model, so it fits perfectly. Durable fabric is used to prevent scratches around the shift area.





Aluminum Assist Grip



one **¥2.500** each 100170 Silver 100172 Red 100171 Black 100173 Blue

Set of 3 **¥7,000** each

100175 Silver 100177 Red 100178 Blue

High-grade aluminum material is anodized in a colorful finish. The glossy texture with good coloring adds color to the interior. The high rigidity of the assist grips is evident when gripping them, which is not the case with the stock grips. The grip is comfortable to hold and



provides an excellent fit. The anodized surface is resistant to rust and corrosion and durable. Easy installation with a single screwdriver. *Installation screws included.

LED Room Lamp For JB64/74 ¥2,000 each with remote control ¥3,800 each

High brightness 3-chip SMD is used for outstanding brightness. For front lamps and rear luggage lamps. The remote control type has 16 levels of brightness adjustment.







Manual Window Regulator For JB64/74

Driver's seat F00181 Passenger seat ¥8.000 each



This unit replaces the window regulator, which opens and closes the window by adjusting the window glass up and down using the elevation function, with a manual type that is less likely to

malfunction. The hand-wound handle is not only practical, but also creates a classic interio space like an old car.



3D Non-slip Mat For JB64/74

Excellent durability and water resistance. Lightweight. The mat and luggage will not shift easily.



Perfect size for JB64/74. The 3D structure prevents leaks and stains. The tray-like outer perimeter and edges on the sides prevent mud and dust from splattering. Washable in cold water and easy to clean even when soiled. The material is excellent in heat resistance, weather resistance, ozone resistance, and durability against deterioration over time. Front floor mats and luggage mats are embossed on the surface to prevent slipping.

3D Non-slip Floor Mats Front and Rear Set 100153 For MT 100154 For AT

¥15,000 each set for driver's seat, passenger's seat, and rear seat



3D Non-slip Floor Mats for **Front Seats**

100150 For MT 100151 For AT

¥9.000 each set for driver's seat and front passenger's seat



3D Non-Slip Luggage Mat



¥8,100



3D Non-Slip Floor Mat For Rear Seat



¥6,000

Non-slip Luggage Mat Type 2 For JB64/74 100157 ¥6,300 *XG is not available.

Flat type luggage mat exclusively designed for JB64/74 and made of highly durable material. The surface of the product is embossed to prevent slipping. When not in use, it can be rolled up for storage to make effective use of the rear seat and luggage space. Comes with a bright blue Showa Garage tag.









From city driving to off-roading, it can be used for all kinds of purposes.

Showa GARAGE Undercarriage Development Concept

Based on the idea that "even tough suspension that can handle rough roads can also be comfortable for city driving", we first thoroughly test the bike under various on-road conditions, and then finish it off to a state that is fully satisfactory. After that, we carry out careful testing again off-road, and then make final adjustments beforecompleting the product. On-road, it has a comfortable ride and natural handling with minimal unwanted rolling. Off-road, it has excellent maneuverability and good road-holding, so you can ride with peace of mind. For those who want to go off-road in earnest, simply removing the front stabilizer will dramatically improve its off-road performance.



SUSPENSION Suspension Parts for JB64/74

20mm Lift-up Kit

This kit allows you to easily lift up the suspension without changing the ride quality. The shock extension bracket prevents the shocks from stretching out. Recommended tires are [JB64]185/85R16 Set includes or [JB74]215/75R15, which are one size larger than the stock tires.

20mm Lift-up Kit

Set includes

Aluminum coil spacer, Long brake hose, Shock extension bracket

s00300 ¥24.800

20mm Lift Up Kit Latte Set

Aluminum coil spacer, Long brake hose, Caster bush, Shock extension bracket, Front/Rear Lateral rods ★2

\$00310 ¥77.000



1-inch Lift-up Kit For JB64/74

The amount of lift-up is 1 inch (25-30mm) when installed on JB64. The spring rate is increased compared to the stock, and the ride quality becomes more firm. We recommend larger tires [JB64] 185/85R16 or [JB74] 215/75R15. An extension bracket is included to prevent the shocks from stretching out.

1-inch Lift-up Kit

Set includes 1-inch up coil, Long brake hose★1, Rear shock extension bracket

Silver Spring S00320 For JB64 S00350 For JB74 Black Spring S00340 For JB64 S00354 For JB74

1-inch Lift-up Kit Latte Set

Set includes 1-inch up coil, Long brake hose★1, Caster bush, Rear shock extension bracket, Front and rear lateral rods*2

Silver Spring S00330 For JB64 S00352 For JB74

Black Spring S00342 For JB64 S00356 For JB74



o le	J	Coil Spring	FL	FR	RL	RR
ie	B	Spring Rate (kg/mm)	1.80	1.80	2.60	2.60
	64	Free Length (mm)	388	388	315	330
•						
T_{1}	J.J	Coil Spring	FL	FR	RL	RR
"	B	Spring Rate (kg/mm)	2.30	2.30	2.50	2.50
	74	Free Length (mm)	359	362	303	324

OHLINS Shock Absorber S00141 ¥400,000



Showa GARAGE is an authorized dealer of Ohlins Suspension.

As the name of the 4×4 line "Adventure" series suggests, you can enjoy excellent performance and driving in various scenes from street to off-road. Large capacity reservoir tank and wide range of rebound and compression damping force adjustment provide sure stroke and



About Vehicle

For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately.may be necessary.

- •To compensate for the reduced visibility of the immediate left side due to lifting, it is necessary to secure visibility by means of a camera, etc.
- Even if the vehicle height is increased by 40mm or more by replacing the coil springs, the coil springs are designated parts * and thus do not require a structural modification inspection and will pass the vehicle inspection without modification.

*Designated parts are automobile parts that are highly likely to be added or changed according to the preferences of the automobile user, and which are not considered a hindrance to ensuring safety or preventing pollution. The parts are specified in the "Notice of the Director-General of the Japan Automobile Traffic Bureau No. 234 and No. 262 of the Ministry of Transport, dated November 16, 1995. When these parts are installed with bolts or adhesives, it is not necessary to change the description on the vehicle inspection certificate or to go through structural change inspections, etc.

ENNEPETAL E-12 Shock Absorber For JB64/74

\$00400 For normal ride height \$00401 For 1 inch up \$00402 For 2 inch up 1car **¥170,000** each







ENNEPETAL is handmade one by one using high precision German Bilstein parts. This ENNEPETAL E-12 is a special model for JB64/74 with Showa Garage's original settings. This is a suspension that has been tested and adjusted many times and fine-tuned to demonstrate the full potential of the JB64/74. It is equipped with a damping force adjustment mechanism not found in the standard BILSTEIN, and offers the best ride quality and driving comfort while

responding to a wide range of road conditions. The wide range of 12-level damping force adjustment covers a wide range of driving conditions from on-road driving such as winding roads and highways to off-road driving such as flat dirt roads, everyday use such as city driving, and sports driving. A dial on the top of the absorber allows easy adjustment with a comfortable clicking feeling.

	Charle Abasahas	Front		Rear	
3	Shock Absorber	Max. length	Min. length	Max. length	Min. length
	Genuine (mm)	409	269	451	302
1	1 inch up (mm)	432	290	490	343
	Normal (mm)	420	278	461	326

1-inch Up Kit ENNEPETAL E-12 Set For JB64/74

This 25mm (1 inch) up is popular with people who want a combination of everyday practicality, style and a certain degree of performance. Compared to the standard, it provides a firmer ride. However, in the case of this Showa Garage Original Setting E-12, a comfortable ride is ensured and it is not related to the tightness that is common in tuned dampers. By making

moderate adjustments while taking advantage of the standard's comfortable ride, it suppresses excessive roll and changes to a calm feeling. By making the most of the excellent operability that is unique to mono-tube dampers, it offers a higher level of comfort, such as improved handling and stability during sports driving, and a supple, soft, silky ride that envelopsthe bumps in the road during everyday use. Recommended tire sizes: [JB64] 185/85R16 [JB74] 215/75R15

[1004] 103/03/10 [1074] 213/73/13						
J	Coil S	oring	FL	FR	RL	RR
J B 64	Spring Rate (kg/mm)		1.80	1.80	2.60	2.60
64	Free Leng	388	388	315	330	
J	Coil Spring		FL	FR	RL	RR
J B 74	Spring Rate (kg/mm)		2.30	2.30	2.50	2.50
74	74 Free Length (mm)		359	362	303	324
Shock Absorber From		nt		Rear		



1-inch Un	Kit ENNEPETAL F-12 Se	

Set includes 1-inch up coil, Long brake hose★1, Caster bush, ENNEPETAL

Silver Spring S00430 For JB64 S00434 For JB74 ¥204,000 each Black Spring S00432 For JB64 S00436 For JB74

1-inch Up Kit ENNEPETAL E-12 Latte Set Set includes

1-inch up coil, Long brake hose *1, Caster bush, ENNEPETAL, Front and rear lateral rod *2

Silver Spring S00431 For JB64 S00435 For JB74 Black Spring S00433 For JB64 S00437 For JB74

¥248,000 each

SG Adjustable Coil 50 ENNEPETAL E-12 Set For JB64/74

Genuine (mm) 409 269 451 302

An all-rounder that strikes a balance between driving and appearance. Load clearance that gives you a sense of high lift. Moderate ride height and center of gravity combine comfortable daily driving with excellent off-road performance. When equipped with Showa GARAGE SG Adjustable Coil 50, it provides a tight ride with moderate damping that is not too hard, and natural handling with less excessive roll. The wide range of 12-level damping force adjustment mechanism covers a wide range of driving conditions from on-road driving such as winding roads and highways to off-road driving such as mogul and dirt

roads, everyday use such as city driving, and sports driving. Recommended tire sizes are 185/85R16 and 195R16; 225/75R16 is also available



Set Contents

SG Adjustable Coil 50, ENNEPETAL,

Long brake hose ★1, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link, Sway bar down spacer, Front and rear lateral rods ★2,

Escape member

*Some contents differ depending on the set.



- ★1: Can be replaced with stainless steel mesh brake hose (1 inch is + ¥22,300, 2 inch is + ¥8,500)
- ★2: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.

	SG Adjustable Coi	il 50 ENNEPETAL E-	12 Set
i i			
ng	S00440 For JB64	S00443 For JB74	¥289,000 each
ng	S00460 For JB64	S00463 For JB74	+203,000 each

Black Spring	S00460 For JB64	S00463 For JB74								
SG Adjustable Coil 50 ENNEPETAL E-12 B Set										
Standard Set										
Silver Spring	S00441 For JB64	S00444 For JB74	¥300,000 each							
Black Spring	S00461 For JB64	S00464 For JB74	¥300,000 each							

5	og Adjustable Coll 5	O EMME	PETAL E-12	BA Set
Standard Set 🕂	High Capacity Bump Ru	ıbber <mark>★3</mark>	Front/Rear	Reinforced Arm★4
Silver Spring	S00442 For JB64	S00445	For JB74	¥415 000

Black Spring	Silver Spring	000442 101 3004	101 101 4	¥415 000 .
	Black Spring	S00462 For JB64	S00465 For JB74	+4 13,000 each

- ★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

Silver Sprir

SUSPENSION Suspension Parts for JB64/74



A suspension kit that has a 14-level adjustable shock absorber that can be adjusted to suit a wide range of riding styles, and that also improves off-road driving performance while also pursuing a comfortable ride for city driving. Steering dampers that increase damping force and reduce the

recoil when large-diameter tires are fitted, etc. The Showa Garage original brand "X-SHOCK" supports all kinds of suspension needs, from everyday use to serious off-road driving.

X-SHOCK For JB64/74

For 1 inch Up

For 2 inch Up

S00135 Front S00136 Rear

¥17,500 each/one



The 14-level adjustable X-SHOCK absorber can be used for everything from city driving to off-road driving. There are three types for 1, 2 and 3 inch height increases. The X-SHOCK can be adjusted to suit a wide range of on- and off-road driving styles, and can also be used with a genuine specification without a sway bar. The 1 inch height increase type can also be used with the standard vehicle height, and even if you increase the height, there is no need to worry about interference between the cross member and the there is no need to worry about interference between the cross member and propeller shaft, and it can be installed in the standard state (only the left rear brake hose needs to be replaced). For 2-3 inch up, countermeasures against

interference with the cross member or replacement is required. In addition, the long brake hose needs to

She	Shock Absorber	Fro	nt	Rear		
	SHOCK ADSOLDER	Max. length	Min. length	Max. length	Min. length	
	Normal	409	269	451	302	
ì	1 inch up	433	277	490	314	
	2 inch up	460	290	515	327	
	3 inch up	480	300	540	340	

X-SHOCK **Steering Damper**

For JB64/74

S00115 ¥20,000

This is a steering damper with increased damping force to reduce the impact from the road when large diameter tires are fitted. It is made by KYB, the same manufacturer as the genuine product, so you can be sure of its quality and performance. It has the same shape as the standard product and can be installed with bolts.



1-inch Up Kit X-SHOCK Set For JB64/74 It is capable of all-around driving from city driving from city



driving from city driving to off-roading, with reduced roll and a firm ride.For JB64, 1 inch up (25 to 30mm) is required. The 14-level adjustable X-SHOCK (cross shock) absorber can be adjusted to suit various specifications and riding styles both on-road and off-road, and can also be used with the sway bar removed. Bush for

correcting front caster angle and front and rear lateral rods for adjusting hosing misalignment are also included in the lathe set. Recommended tire size [JB64]185/85R16, [JB74]215/75R15.

The photo shows the standard set.

1-inch Up Kit X-SHOCK Set

Set includes 1-inch up coil, Long brake hose★1, Caster bush, X-SHOCK

Silver Spring S00323 For JB64 S00351 For JB74 Black Spring S00341 For JB64 S00355 For JB74

¥102,000 each

1-inch Up Kit X-SHOCK Latte Set

Set includes 1-inch up coil, Long brake hose★1, Caster bush, X-SHOCK, Front and rear lateral rod*2

Silver Spring 800333 For JB64 800353 For JB74 ¥142,000 each Black Spring S00343 For JB64 S00357 For JB74

ر Coil S	oring	FL	FR	RL		RR
B Spring Rate	e (kg/mm)	2.30	2.30	2.50)	2.50
74 Free Leng	gth (mm)	359	362	303		324
Shock Absorber	Fro		Rear			
Shock Absorber	Max. length	Min. lengt	th Max. I	ength	Mi	n. length
Normal	409	269	45	451		302
1 inch un	122	277	10	400		21/

Spring Rate (kg/mm) 1.80 1.80 2.60 2.60

Free Length (mm) 388 388 315 330

- 1: Can be replaced with stainless steel mesh brake hose (1 inch is + \(\frac{\pmathbf{Y}}{2}\) 300 2.3 inch is + \(\frac{\pmathbf{Y}}{8}\) 500) ★2: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.
- ★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

Precautions For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately may be necessary.

SG Adjust Coil 50 X-SHOCK Set



The ride height is raised by 50mm (2 inches), and compared to a set that can be comfortably driven from on to off with a 75mm (3 inch) increase, the ride is softer. By cutting the part where the upper part of the spring closely connected area, it is possible to adjust the amount of height increase and the balance of the front and back without affecting the spring rate. The 14-level adjustable X-SHOCK absorber can be adjusted widely to suit various driving styles, and it can also be used for serious specifications without stabilizers. The standard set is an all-in-one set of essential parts, and the B



set includes a large-capacity bump rubber, while the BA set also includes reinforced arms. Recommended tire sizes are 185/85R16 and 195R16. 225/75R16 is also

SG Adjustable Coil 50, X-SHOCK, Long Brake Hose ★1, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link. Sway bar down spacer. Front/Rear Lateral rods *2, Escape member *Some contents differ depending on the set.



SG Adjustable Coil 50 X-SHOCK Set

Standard Set

Silver Spring soo360 For JB64 soo363 For JB74 **£186,000** each Black Spring S00380 For JB64 S00383 For JB74

SG Adjust Coil 50 X-SHOCK B Set

rd Set + High Capacity Bump Rubber ★3

Silver Spring S00361 For JB64 S00364 For JB74 ¥197,000 each Black Spring S00381 For JB64 S00384 For JB74

SG Adjust Coil 50 X-SHOCK BA Set

Standard Set	+	High Capacity Bump Rubber ★3	Front/Rear Reinforced Arm★4
	•	J . , .	

Silver Spring S00362 For JB64 S00365 For JB74 ¥311.000 each Black Spring S00382 For JB64 S00385 For JB74

Coil Spring	FL	FR	RL	RR	Shock Absorber Front Rear Max. length Min. length Max. length Min. length		Front		ear
1 3					Snock Absorber	Max. length	Min. length	Max. length	Min. length
pring Rate (kg/mm)	n) 2.25 2.24 2.00 1.9	1.95	Normal	409	269	451	302		
					TVOTTILAL	707	203	731	302
Free Length (mm)	388	405	379	390	2 inch up	460	290	515	327

SG Adjust Coil 75 X-SHOCK Set



The ride height is raised by 75mm (3 inches), and this set allows you to drive comfortably whether on or off-road. Compared to a 50mm (2inch) ride height increase, this set gives a more solid ride feel for driving around town. The 14-level adjustable X-SHOCK absorber can be adjusted to suit a wide range of driving styles, from on-road tooff-road. It can also be used with a genuine specification that does not use a sway bar. By cutting the part where the upper part of the spring closely connected area, it is possible to adjust the amount of height increase and the balance of the front and back without affecting the spring rate. The standard set and B set, which are a comprehensive set, include large-capacity



bump rubbers, and the BA set also includes reinforced arms, so you can choose the set that best suits your needs. Recommended tire size:225/75R16, 6.50R16

SG Adjustable Coil 75, X-Shock, Long brake hose ★1, Rear shock spacer set. Brake hose down stay. Caster dream, ABS extension stay, Short sway bar link, Rear lateral rod correction bracket, Sway bar down spacer, Front/Rear Lateral rods *2. Propeller shaft spacer, Escape member

*Some contents differ depending on the set.

BIBA set is recommended for those who drive on forest roa The photo shows the standard set.

SG Adjustable Coil 50 X-SHOCK Set

Silver Spring (\$00370) For JB64 (\$00373) For JB74 ¥207.000 each Black Spring s00390 For JB64 s00393 For JB74

2-inch Up Kit ENNEPETAL E-12 B Set

andard Set 🕂 High Capacity Bump Rubber 🖈

,	Silver Spring	S00371 For JB64	S00374 For JB74	¥218,000 each
t	Black Spring	S00391 For JB64	S00394 For JB74	+210,000 each

2inch Up Kit ENNEPETAL E-12 BA Set

Standard Set -	– High Capa	city Bump	Rubber >	Front/R	ear Keinforced	Arm★4
Silver Spring	S00372 F	or JB64	S00375	For IB74		

Silver Spring	S00372 For JB64	S00375 For JB74	¥332,000 each
Black Spring	S00392 For JB64	S00395 For JB74	+332,000 each

Coil Spring	FL	FR	RL	RR	Charle Absorbar	Front		Rear	
Spring Rate (kg/mm)	2.5	2.5	2.63	2.63	Shock Absorber	Max. length	Min. length	Max. length	Min. length
					Normal	409	269	451	302
Free Length (mm)	399	409	375	391	3 inch up	480	300	540	340

¥13,480

¥12,900

¥14,480

JB64/74

SUSPENSION Suspension Parts for JB64/74

1-inch Lift-up Coil

The lift is 1 inch (25-30mm). The spring rate is higher than the genuine product, so the ride is firmer than the standard. Compatible with genuine shocks. Recommended tire size: 185/85R16, 215/75R15.



\$00044 Silver **¥32,000** unit \$00043 Black ¥32 000 unit

300043 DIACK T	52, C		IIII	
Coil Spring	FL	FR	RL	RF
Spring Rate (kg/mm)	1.80	1.80	2.60	2.6
Free Length (mm)	388	388	315	33

S00144 Silver ¥32,000 unit S00143 Black **¥32,000** unit

Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.30	2.30	2.50	2.50
Free Length (mm)	359	362	303	324

SG Adjustable Coil

For JB64/74

No effect on spring rate! Height and balance adjustable spring!

Cutting the spring closely connected area that does not affect the spring rate, the height and front/rear/right/left balance can be adjusted. This is a versatile type that can be used mainly for city driving, but also for off-road driving. Without cutting, the amount of increase is 50 mm (2 inches) and 75 mm (3 inches) for a vehicle with a spare tire and rear seat, respectively.





SG Adjustable Coil 50

For JB64 S00045 Silver **¥35,000** unit S00047 Black **¥35.000** unit

For JB74 S00145 Silver **¥35.000** unit S00147 Black **¥35.000** unit

Lift-up amount is 50mm (2 inches); adjustable from 20 to 50mm.



Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.25	2.24	2.00	1.95
Free Length (mm)	388	405	379	390

SG Adjustable Coil 75

For JB64 S00046 Silver ¥36,000 unit S00048 Black ¥36,000 unit

For JB74 S00146 Silver ¥36.000 unit S00148 Black ¥36,000 unit

More street-oriented than the 2-inch uplift, Lift-up amount is 75mm (3 inches), adjustable between 45-75mm.



Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.50	2.50	2.63	2.63
Free Length (mm)	399	409	375	391

Reinforced Arm For JB64/74

The material used is STKM13A with a thickness of 5 mm, which is considerably stronger than the genuine arm. The wheelbase, caster angle, and horseshoeing angle have already been corrected. It corrects the suspension misalignment caused by inch-up and secures the original performance of the suspension. Genuine bushings are already press-fitted. Available in gunmetal, red, black, and blue.

《Reinforced type》

Resistant to bending and breaking Longer and reinforced compared to normal reinforced trailing arms.

Reinforced Leading Arm For front. Extends +6mm (for 2"), +10mm (for 3") to compensate for wheelbase. Reduces interference For front \\ \pm 55.000\) each /right and left set between tires and fenders. Caster angle has also been corrected to 5.2° (for 2-inch) and 7.9° (for 3-inch).







S00024 3 inch





S00091 3 inch



S00102 3 inch



Blue S00170 2 inch S00171 3 inch

Reinforced Trailing Arm For rear ¥51,000 each / right and left set

For rear. The hosing part is 22mm thick and shaped to secure road clearance. The horsing angle has been corrected (2.1°) for lift-up











Reinforced Trailing Arm For rear ¥68,000 each / right and left set

(Reinforced Type)

For rear. The ribs have been extended to further increase durability against bending. This reinforced











Adjustable Lateral Rod For JB64/74

This part corrects the suspension that causes lateral misalignment due to changes in vehicle height. By adjusting the geometry to the correct level, it helps to reduce body wobble.

Adjustable Lateral Rod Stainless Steel

Made of stainless steel for rust resistance and strength. Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically.



S00054 For front ¥23,000 S00053 For rear ¥22,500

Adjustable Lateral Rod Genuine Processed Products

The genuine rod is machined for superior durability. The rod ends are rubber bushings. Available in red, black, gunmetal, and blue.



Red	S00700 For front	S00710 For Rear
Black	S00701 For front	S00711 For Rear
Gunmetal	S00702 For front	S00712 For Rear
Blue	S00703 For Front	S00713 For Rear

Rear Lateral Rod Correction Bracket

S00798 ¥7,000 Bracket that raises the rear hosings' lateral rod mounting position by approximately 50mm



when raising the vehicle height. It reduces scuffing change and improves driving stability.

Adjustable Lateral Rod for Stainless Steel

Rod End

Replace rubber ends that have deteriorated over time, cracked, or broken, By refreshing the end, lost maneuverability and ride

comfort will \$00062 For front \(\frac{\pman}{2}\)18,000 be restored. S00060 For rear ¥16,000

Long Brake Hose For JB64/74

Long brake hose to make up for the lack of length when lifting. The 2-inch up set is for use with absorbers up to 460 mm in length at the front and 515 mm at the rear. 3-inch up set is for use with absorbers up to 480 mm in length at the front and 540 mm at the rear. The set includes two front left and right (with four aluminum crush washers) and two rear right and left. Also sold individually

*The stay set compensates for the lack of brake hose length (approx. 30mm) and also includes a brake hose down stay that allows spring replacement without bothersome brake line disconnection.



Stainless Mesh Brake Hose

For JB64/74 **¥23.500**/each

JB74 3-inch up set

2-inch up stay set \$00635

3-inch up stay set \$00637

S00658 JB64 for 1inch up S00659 JB74 for 1inch up

S00636

S00650 JB64 for 2inch up S00652 JB74 for 2inch up S00651 JB64 for 3inch up S00653 JB74 for 3inch up

Short Sway Bar Link For JB64/74

These sway bar links are 30mm shorter

than the genuine parts. This is a set of

Sway Bar Down

Corrects the angle of the sway bar links on a lifted vehicle and

restores the original effect and

combination with short sway ba

function of the stabilizer.

Effective when used in

links, 10mm and 25mm

Spacer For JB64/74

Comes with 2 front and 2 rear brake down stays. You can choose from 1 inch (25mm) up, 2 inch (50mm) up, and 3 inch (75mm) up for JB64/74 respectively. Compared to rubber brake hoses, the expansion rate is lower, and the force from the master cylinder is transmitted to the caliper more efficiently, so you get a direct brake feel. In terms of quality, the same permanent bonding (crimping method) as the genuine hoses is used, so you can be assured of a high level of reliability. The hose ends are made of stainless steel, which is highly resistant to corrosion. The outside of the stainless steel mesh is protected by a clear hose.

left and right links for one vehicle. They correct the angle of the links on

between the ground and the vehicle, making it less likely to hit obstacles. Compatible with 20mm to 3-inch lifts. The degree of lift-up will require

the correction of the angle of the sway bar. No correction is required for 20-40mm lift-up. For 2-inch lift-up, use a 5-15mm sway bar down spacer.

For 3-inch lift-up, use a 20-30mm sway bar down spacer in combination.

S00058 25mm

¥3,800 right and left set ¥4,500 right and left set

S00057 10mm

a lifted vehicle, allowing the sway bar to work more efficiently and

reducing roll. In addition, the shorter length increases the clearance

S00087 ¥1.900 This stay compensates for the short length

of the brake hose (approx. 30mm) when using a 1-inch longer absorber or shock extension bracket, and also allows the spring to be replaced without having to bother about disconnecting the brake line. After

Brake Hose Down Stav

installation, simply remove the clip to free the brake line. In addition to the factory brake hose, it can also be used with long brake hose or stainless steel mesh brake hose.

Shock Absorber Upper Bush

For JB64/74 ¥1,100 each / set of 4

S00153 Normal S00154 Sports Bushings for the upper part of the front shock absorber. Two types: a direct feel sports type and a genuine equivalent normal type. The normal



type can also be used as a replacement for genuine parts.

Coil Spacer For JB64/7 S00063 10mm

¥4.900 piece





¥5,200 each /piece adjustment (front/rear balance, etc.)

Coil Spacer 5mm For JB64/74

¥2.500 each / set of 2

S00066 For front 5mm coil spacers for ride height \$00067 For rear adjustment. Set of 2, with turn stopper.

SUSPENSION Suspension Parts for JB64/74

High Capacity Bump Rubber For JB64/74

Front ¥4.200 each

S00001 For Front Hard

socce For Front Soft

s00004 For Rear Hard

soooo For Rear Super Soft

Bump rubbers significantly increase capacity compared to genuine. Overall length is 125 mm, approximately 65 mm longer than genuine. Can be easily cut with a cutter knife and adjusted to suit the application. Bolt-on installation. The front bump rubber is about 80mm longer than stock with the included 15mm spacer. If you cut the plate where the genuine bump rubber fits, you can install without using sources For Front Super Soft the spacer, and you can install without sacrificing (cutting) the capacity of the bump rubber for the clearance (15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption in speed competitions. Super soft type (hardness 50) has excellent shock absorption and can be used for both front and rear bumps in speed competitions, but is especially





with larger capacity

Necessity of bump rubber The shock absorbing power is greatly increased. Also, by extending the overall edge, business can be used to prevent contact between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a high spring rate, and can provide a sense of stability when cornering on-road as well as off-road.

Rear Bump Block Exclusively

for high-capacity bump rubber

For JB64/74

\$00028 **¥6,000** right/left set

Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on



installation, enabling W-bump

*Need to purchase High Capacity Bump Rubber Repair separately.

Rear Bump Extension Block

S00037 Full set ¥7,000 right/left set

\$00039



This is a set of extension blocks and bolts for shortening the rear high-capacity bump rubber. By shortening the bump rubber, it reduces swaying

High Capacity Figure-8 Bump Rubbers For JB64/74 rear

¥3.300 each

sooo15 Hard (hardness 70)


S00016 Soft (hardness 60)

S00017 Super soft (hardness 50)

Bracket (sold separately) is required



hollow portion has been reduced to 1.5 times (50mm) thicker, 1.25 times (100mm) taller, 84mm wider, and 2.4 times larger in capacity. The rigidity of the product itself is increased, so it is less likely to warp or sag, and it hits the hosing more firmly. The mounting portion has been machined with long holes, allowing



sold in the past. The capacity is approximately 2.4 times larger





Bump Bracket for high-capacity figure-8 bump rubber For JB64/74

S00033 For rear ¥8.800 right and left set

Bracket for mounting a high-capacity figure-8 bump rubber on the rear (25 mm high). Conventional figure-8 bumps can also be installed. Mounting holes on the bracket are pre-machined with long holes for front/rear position adjustment. Bumps are mounted using button bolts to prevent damage during full



Quick Body Mount For JB64/74 ¥6,000 1 car

S00160 Street 60

The loose impression of the genuine body is replaced by a sharp ride. Recommended for those seeking a sportier feel without losing daily comfort.

S00161 Sport 70

Compared to the Street 60, the Street 60 transmits more minor vibrations and sounds, but this increases the direct feeling and makes the sensations transmitted from the tires and suspension easier to understand.



Eliminates the side slits in the genuine bushings to increase rigidity. Two types of bushings with different hardness, Street 60 and Sport 70, are available for different applications. The bushings reduce the vawing between the body and frame, improve turning performance, reduce body shake and roll, and transmit the



sensation from the undercarriage. There is no change in ride height when replacing the mounts. Effective not only for vehicles with deteriorated mounts, but also for new vehicles and body lifted vehicles. It can be used for a wide range of applications from street driving to competitions and sports driving. This set is designed to replace only 8 parts, which can be done in a short time without the need to detach the frame. You can experience the effect of replacing only half of the 16 parts.

THERS Other parts for JB64/74

ABS & Air Pipe Correction Stav

For JB64/74 S00150 ¥1,400

room when the vehicle is lifted, and is essential when replacing the absorber with one that is 2" or 3" higher. One stay is used for the front.

For JB64/74

S00111 ¥2.600



Height Sensor Correction Stay

¥1.300 each

For 0.5 to 1.5 inches up

For 2 to 3.5 inches up Correction stay for auto-leveling

mechanism of IR64 XC/IR74 IC Required when lifting. Two types are available, one for 0.5~1.5" and the other for 2~3.5"

Rear Shock **Extension** Bracket For JB64/74 S00075 ¥5.000



Extends the free length of the shock by 35mm. Eliminates the lack of length.

Rear Shock Spacer Set Caster Bush Set of 2

¥7.600



For JB64/74

This is a bush that corrects the caster angle deviation caused by lift up. It is suitable for vehicles that have been lifted up by about 1 inch. correcting 1.5° per use.

Pillow Bush for Pivot 2pcs set

For JB64/74 \$00097 **¥22,000** each / set of 2

For 0.5 to 1.5

Used on the pivots of the leading arm and trailing arm to reduce alignment changes for a more direct feeling. Used as body side bushings for both leading and trailing arms. *2 sets (4 pieces) are required for

Pitch Gauge for Bush Press Fitting Bush Press Fitting Fixture Set (simple type)

and 2 x long bolts.

General purpose | S01004 | ¥1,500

This is a gauge for press-fitting an eccentric bush into the reading arm to match the pitch of the genuine part. This is for the front (148mm) only.



General purpose S01000 ¥12.000

Set of press fitting jig for replacing bushings on the leading/trailing arm and gauges (front and rear) to press-fit the bushings to the factory pitch.



Propeller Shaft Spacer 10mm For JB64/74 S00019 ¥7,600 Prevents the constant velocity joint of

the rear propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary for off-road driving with a ride height increase of 3 inches or more



Super Oil Seal For JB64/74 D00023 ¥2,100 piece This seal for the rear hub is much less likely to leak

oil than genuine products. The part in contact with the shaft is floating and follows the movement of the shaft for a reliable seal. Also, the contact surface with the steel hosing of the factory seal is covered with rubber, so even if it is corroded and rough, the seal will flexibly seal.





Manual Hub Installation Kit For JB64/74

This kit is designed to replace the air locking hubs adopted from JB23 with the manual hubs equipped on JA11 and other models. The air locking hubs are difficult to visually check the locking status and may malfunction due to mechanical problems such as negative pressure leakage, etc. Therefore, it is recommended to replace the air locking hubs with manual hubs that are highly reliable and work reliably in an emergency. *A genuine Suzuki free hub for JA11 or JA22 and a cone washer to install the free hub are separately required.





Bolt Set for Free Hub For JB64/74 D00025 ¥3.200 (Compatible with all Jimny models.)

This is a set of high strength bolts, spring washers, and cone washers for fixing the free hubs for one vehicle. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured and prevents damage to the bolts



43838-60A00. o-rings are used in the free hub of the front undercarriage. One O-ring is used for one side and two O-rings are used for one car.



Hub Nut Without Brim For JB64/74 D00032 ¥3,000 piece

For repairing the manual hub installation kit (sold separately). Sold as a single unit. Cannot be used or vehicles with stock air locking hubs. Instruction

manual is not included as this is a repair part. Free Hub Cover Gasket

General purpose D00016 ¥180 Sheet Suzuki part number 43813- 60A00.This gasket is used for the front suspension free hub. One gasket is used



Free Hub Packing General purpose Free Hub O-ring General purpose D00015 ¥160 Sheet

Suzuki part number

43842-80001.These gaskets are used for the front undercarriage free hub. One packing is used for one side, and two are used for one car.



D00014 ¥290 piece



Rear **¥3,300** each

soccos For Rear Soft

recommended for rear bumps. For reference, all genuine bump rubbers have a hardness of 70.

The shock absorbing power is greatly increased. Also, by extending the overall length, bump

for high-capacity bump rubber For JB64/74

S00038 50mm ¥4,800 right/left set



and bending for a

more stable touch. 25mm and 50mm can be used as a set for 3-step adjustment up to a maximum of 75mm.

Compared to conventional figure-8 bump rubbers, the

adjustment of the contact position. Choose the hard type for those who want a firm hold, and choose the soft or super soft type for those who want shock absorption.


Comparison with the figure-8 bump rubbers







MUFFLER Muffler for JB64/74



Proximity noise value:86dB Acceleration noise value:76dB

《Compliant with new standards》 P00004 ¥62,000


Torque 0.5kgm Power 6.2PS



Proximity noise value:79dB Acceleration noise value:75dB

(Compliant with new standards) P00006 ¥68,000

Torque 0.3kgm Power 4.6PS DII











SOUP-UP Soup up parts for JB64/74

Powered ECU

Powered ECU

The control maps are optimally adjusted to unleash the true potential of the JB64/74. The lineup includes Spec1 for regular gasoline and Spec2 for high-octane gasoline. This is an easy yet highly effective tuning menu. This powered ECU updates the JB64/74 to have a sharp, lively, and aggressive feel. It will definitely transform the power to a level that can be felt. Of course, we avoid settings that unnecessarily pursue peak power only, and focus on the feeling of everyday use. The vehicle is faithful to the accelerator pedal operation and accelerates comfortably on general roads, highways, and off-road. The cruise control setting can also be changed to comply with the increased speed limit on highways. (For JB74 only)



for JB64

Spec1

handling at low to mid speeds. Improved response makes the JB64 "easy to drive"

For JB64 P00037

Regular specification ¥50.000

Fuel Target air-fuel ratio ■ Boost ■ Boost upper limit

Required torque Torque upper limit

Spec2

Based on Spec1, more power is added. The satisfyingly, aggressive feel and torque transform the JB64 into a powerful ride.

For JB64 P00038

High-octane specification ¥80,000

 Target air-fuel ratio
 Cam timing ■ Torque requirement ■ Torque limit ■ Boo Boost limit • Speed limit • Other

Option P00041 HKS Super Fire Racing M40XL ¥2,500 piece

for JB74

The normal engine "K15B type" has been given a satisfying, aggressive feel. For JB74 P00032 Regular specificatio ¥70.000

Adds more power to the Spec1. Enjoy a spaciousness that cannot be Spec2 experienced with the regular specification.

For JB74 P00033 High-octane specification ¥80,000

For JB74 (P00036) Cruise Control Limit Change ¥30,000 *Optional for JC grade onl

Option P00040 HKS Super Fire Racing M40X ¥2,200 piece

Change control map

● Fuel ● Ignition timing ● Throttle ● Air-fuel ratio • Cam timing • Torque demand • Torque limit


Showa Garage Original Setting

Mode R1 Torque will increase by 8.4% Power by 10.6%

Mode R2 Torque will increase by 7.8% Power by 14.5% !!

Pre-set ultra-compact sub-computer made by Siecle. By controlling the air volume signal with our original circuit, power is increased over the entire range from zero start to mid to high speed range. The contents are Showa Garage's original settings, and 3 modes can be selected including the normal state. Installation is a simple coupler-on installation.

power. A special stay for installation next to the battery is also included, making it compatible with both M/T and A/T. Regular gasoline is fine. The Dynapac output is measured to be lower than normal at 3400 rpm, but torque is



There are no complicated initial settings, and you will surely experience an increase in Furthermore, if the "links muffler' and "mini-computer" are used together...

> **Compared to normal** Mode R1 Torque will increase by 7.0% Power by 13.8%

Mode R2 Torque will increase by 13.3% Power by 17.5% !!


Vehicle Stability Control Canceller (VSCC) For JB64/74 P00024 ¥39,900

Deactivates traction control and anti-skid system (vehicle stability control). The genuine cutoff switch (operation) leaves some of the electronic controls in place, which can be detrimental when driving aggressively in sports driving situations, for example, when the driver is unable to control the vehicle as he/she wishes. With this device, the control can be deactivated at the touch of a button, leaving only the ABS in place and allowing the driver to enjoy the pure enjoyment of driving by suppressing behavior contrary to the driver's wishes. This is an indispensable item for serious off-road driving that requires a daring sliding technique, such as steep hill climbs with tires spinning. The status memory allows the engine to be turned on again when the engine is turned off and restarted.

Response Booster For JB64/74 P00021 ¥25,700

This booster eliminates the sluggish acceleration response and lack of low-speed torque characteristic of electronic throttles. The engine's true potential is fully demonstrated and the driver can enjoy an overwhelming acceleration feeling. By simply selecting a preset mode, a response that fits the driver's senses is achieved. This bridges the gap between the slow acceleration characteristics of the normal engine and the driver's perception of acceleration. Four types of auto mode are optimized for city driving, and seven types of sport mode are implemented to link the car and the driver's senses.





Response Booster Idling Stop Canceller

For JB64/74 P00023 ¥1.000

Used in combination with the Showa Garage Response Booster, this cancels the idling stop function at startup



The car always starts with the idling stop function turned off, eliminating the need to press the idling stop OFF button each time. Even after installation, the idling stop function can be switched on and off with the idling stop OFF button. However, when the key is turned on, the car always starts in the idling stop off state. This reduces the load on the battery and engine, and also eliminates the need to start the car or make left and right turns. The air conditioning does not switch automatically. so you can enjoy driving in comfort.

GReddy Oil Cooler Kit For JB64/74 P00060 ¥62,000

This oil cooler uses a large-capacity core with offset fins in the core tube to reduce pressure loss and improve heat dissipation. The high heat dissipation prevents excessive temperature rise inside the engine and keeps the oil for lubrication and cooling at the proper temperature. The metallic blue accented body is visible through the grille and other openings, providing a dress-up effect.

Option P00061 Sensor adapter M18 Warning ¥1,200 piece











R8 For JB74 JB43 **¥26,500** each Size 15×6.0J ±0 Weight 6.8kg

Showa Garage's original R8 aluminum wheels have a round hole dish design, which is a royal American style. However, it is not all about retro, but rather a simple look without steps or ribs that has been refined for a modern look. The characteristic egg-shaped hole shape emphasizes the cant (slope) of the hole sides. The silhouette, which is not too old, matches the neo-classic JB74, which is both new and nostalgic at the same time. One-piece construction, casted, with center cap. Available in two colors: matte black for a wild image and glossy black for a dressy look.





X-Line For JB64 JB23 ¥24,500 each Size 16×5.5J +20 Weight 6.9kg





Original aluminum wheels designed by Showa Garage. The square shape features a simple design based on straight lines. The design makes the spokes look slender and long, creating a foot-lengthening effect and a one-rank larger image. The silhouette, which dares to eliminate curves, is unique and stands out from the many rounded designs. The deep rim shape is achieved by slimming down the reverse side of the rim, making it truly one-of-a-kind.



W00013 Matte Black





《 QR code is a link to the product video.





wooo37 **¥27,300** Size 16×5.5J +20 Weight 8.92kg For JB74 JB43

wooo38 **¥27,800** Size 16×6.0J -5 Weight 9.35kg

For JB64 JB23

SIGNATURE WOOO38 ¥27,800
Size 16×6.0J -5 Weight 9.35k
Nitro Power H12 Stranger in the Showa style. Dyed bronze, a color not found in the catalog model lineup, it has been transformed into a style that gives a sense of depth as well as massiveness. The military style matches the tough and wild Jimny, and goes well with the burly off-road tires. The dish shape and 12-hole design give it a rugged and impactful shape. The ribs on each hole emphasize the depth and give a change to the dish wheel that tends to be monotonous. The NITRO POWER logo at the center of the wheel and pierced bolts on the outer circumference express an army taste. The matte finish also gives a tough appearance.

GARAGE m-ordered Matte Bronze



16×6.0J -5









MADE IN JAPAN, MADE IN HOUSE

VERSUS VV21SX

For JB64 JB23 **¥42,000** each Size 16×5.5J +20 Weight 7.5kg

For JB74 JB43 **¥43,000** each Size 16×6.0J +5 Weight 8.3kg

A new proposal from VERSUS, which offers a wide variety of dress-up wheels. The "VV21SX" is a new type of wheel that skillfully combines a sporty and fashionable taste with the functionality-oriented design unique to RAYS. The design incorporates slim Y-shaped spokes pushed out on the top surface and the "relief pocket," an advanced lightweighting technology, for strong rigidity. The unique silhouette of the VV21SX is designed specifically for the "modern Jimny," and it is a vehicle that can be used on or off the road without skimping on performance. The color is Showa's original semi-gelatinized semi-elastomer. The color is Showa's original semi-gloss black.





16×6.0J +5 16×5.5J +20

16×5.5J +20

RAYS X Shows

RAYS Gram Lights 57DR-X

For JB64 JB23 wooo30 **¥41,000** Size 16×5.5J +20 Weight 6.7kg

For JB74 JB43 wooo33 **¥41,000** Size 16×5.5J ±0 Weight 6.9kg For JB74 JB43 wooo34 **¥41,000** Size 16×5.5J –5 Weight 6.9kg



Original Showa Garage color made in collaboration with RAYS. A deep hyper bronze color that changes color depending on the angle you look at it. The 57DR-X, the successor model of the 57JX, is a 6-spoke design that is a RAYS tradition, but with a new logo design. The center portion is rounded to emphasize the concave line of the spokes. Different depths of the face are available for each inset. The spoke sides are ribbed to give a slim yet powerful impression, and provide sporty appeal and strong support for your feet in all situations, on or off the road. The inset for the Jimny is 20, for the Sierra -5 (*) for an aggressive style, and the inset 0 for a wider choice of tire brands.









RAYS Gram Lights 57JV

For JB64 JB23 W00032 ¥41,000

Size 16×5.5J +20 Weight 6.5kg

Original color wheel made in collaboration with RAYS. Hyper Bronze is a deep color that changes color depending on the angle of view. The on-road sports model 57XTREME was refined for Jimny. The silhouette was changed from 2×6 to 2×5 for a longer leg design and to better match with the larger center bore Jimny. In addition, the aggressive concave design gives it a powerful and intrepid look, while adding a touch of the latest dress-up style to the Jimny, for which it is difficult to adopt a three-dimensional design. The design is designed exclusively for Jimny, and the extreme care taken in its execution has resulted in the expression of a rich three-dimensionality.







RAYS A·LAP-J

For JB64 JB23

woooo8 ¥51,000

Size 16×5.5J +20 Weight 4.9kg

For JB74 JB43

W00007 ¥52,000

Size 16×6.0J +5 Weight 5.1kg

NUNPI The original A-LAP-J by Showa GARAGE and RAYS is a hyper bronze color that changes its appearance depending on the light. Forged 1 piece super sports model seriously built by RAYS for Jimny users with driving performance that surpasses even large 4WD machines. Lightweight performance was pursued to effectively transfer the limited displacement and power to the road surface. The optimal shape, 10-spoke cross section,

thickness, and shape were optimized specifically for Jimny, and together with high strength and high rigidity,

the lightest Jimny wheel weight of 4.9kg (inset 20) was achieved. Furthermore, the rim and disc shape has been adjusted for each inset to accommodate stock, over fender, and even Sierra models. Machined finish with RAYS & A@LAP-J logo.

*Inset 20 is for Jimny, and inset 5 is for Jimny Sierra.









TEAM DAYTONA







RAYS DAYTONA M9

For JB64 JB23 W00032 **¥35,000** Size 16×5.5J +20 Weight 8.3kg

Showa Garage's original DAYTONA M9 in collaboration with RAYS, in matte black with diamond cut rims. The most distinctive feature of the M9 is the undercut and pierced drilled flange, which makes it look as if the bead lock ring is a separate part, even though it is a single piece construction. The diamond-cut process, which shows various expressions depending on the light rays, further emphasizes this feature.



Wide Tread Spacer Black 30mm 139.7-5H

JB64/74/23/33/43用

W00101 ¥3,600 piece W00102 ¥7,200 set of 2

W00103 ¥14,400 set of 4



Forged wide tread spacers made of high-strength aluminum material A6061-T6. Can be used for wheel-to-body alignment and suspension setting. The CNC and milling cutting marks on the body are also expected to be highly precise. Anodized surface coating ensures long-term corrosion resistance. The hub bolts are made of chromium molybdenum (SCM435), which is also strong enough



(Product Specifications) OD 176mm / ID 108mm

Bolt holes:5 holes PCD 139.7mm Thread pitch: M12×1.25 (Suzuki, Subaru, Nissan, etc.) Body material: forged aluminum

(A6061-T6) Anodized finish Hub bolt material: chromoly steel



JB23/33/43

Front Bumper Spoiler For JB23



Sharp-looking front bumper spoiler, available in painted or unpainted ABS and unpainted FRP gel coat finish. Skid plate (sold separately) is required at the same time. Fog lamps can be installed if the model is JB23-5 or later.

(Made of ABS) E00800 Unpainted ¥34.000

E00802 Black (ZJ3) E00803 Pearl (Z7T)

E00804 Khaki (ZVD) E00805 White (26U)

Genuine color (JPN) ¥49.000 each

(Made of FRP) E00030 Unpainted ¥31.000 (gel coat finish)

Front Grille For JB23 E00025 ¥18,000

Larger opening for increased ventilation. FRP gelcoat finish with black mesh net. 1 to 3 models of JB23, JB33, and JB43-2 to 7 models require hood replacement or modification. Can

be combined with bad face hood. *May cause interference due to individual differences.



Mesh Net General purpose

Aluminum honeycomb mesh net (mesh size: 18mm x 9mm) and ABS resin honeycomb mesh net (mesh size: 30mm x 13mm) can be freely used for luxurious Euro style or sporty style. The ABS mesh net is flexible and can be shaped by using a heat gun, etc. The aluminum mesh net is painted gloss black. Aluminum mesh net is painted gloss black.



ABS Honeycomb Mesh Net ¥2,000 (120cm×40cm)



Common exterior for JB23/33/43





Rear Bumper Spoiler For JB23

FRP spoiler is available in unpainted gel coat finish

(Made of ABS) E00810 Unpainted ¥32.000

Stylish rear bumper spoiler, available in ABS and FRP. The license plate needs to be moved for installation. A separate transfer bracket is required

to install the spare tire. ABS spoiler is available in painted or unpainted.

(Made of FRP) E00032 Unpainted ¥29.000 (gel coat finish)

E00812 Black (ZJ3) E00813 Pearl (Z7T)

E00814 Khaki (ZVD) E00815 White (26U)

E00034 Black ¥13,000

Skid Plate For JB23

E00033 Black **¥8,000**

1111

Genuine color (JPN) ¥47,000 each

E00050 Silver ¥12,000

E00049 Silver **¥7,000**


Tow hooks can be attached. A 4.5mm bracket is placed inside the frame to allow for secure bolting to the frame. Tow hooks with an attachment pitch of 57 mm, such as those made by Taniguchi, can be attached. The plate is made of 3mm thick aluminum.

Made of 3mm-thick aluminum, black anodized. Mounted by drilling holes at

the end of the frame. Includes stainless steel button bolts. not for JB33/43.

Skid Plate with Reinforced Bracket For JB23

LED License Plate Transfer Kit For JB23/33/43 E00121 ¥10,800 each





License Plate Mounting Stay

For JB23 E00031 ¥3,000

Set of number stay, reinforcement stay, bolt, and nut necessary to attach a license plate to Showa GARAGE's front bumper spoiler.



ABS products do not require any modification during installation because of the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products are subject to many errors that occur during production and require adjustment such as modification, processing, etc., and painting before installation

LAMP Lamp for JB23/33/43

Inner Black ¥12.600 each/unit

Projector fog lamp, 5W x 3LED, IP68

waterproof and dustproof design, with

optical axis adjustment function, LEDs in

body in polycarbonate, set of 2. Cutting

may be required for installation

on some external bumpers.

Available in two colors: white

aluminum housing with heat sink, lens and

E00015

and yellow.

LED Tail Lamp For JB23/33/43 **E00026**

Clear ¥25,000 left/right set

LED Fog Lamp For JB23/43 With the small light on, 9 LEDs (per side) on the LED tube, 12 LEDs (per side) on the brake, and 8 LEDs (per side) on the turn signal will flash. You

can switch between sequential and normal lighting. Measures have been taken to prevent the high-flasher and ABS lamp from lighting up. If you want to install this on a JB33 or JB43, you will need to modify the wiring on the vehicle side. 1-year warranty. Fogging due to condensation is not covered by the warranty.



Clear Lens





(5700k) are used per side. They are much brighter than the genuine ones and ensure safe visibility when driving in reverse, such as



Genuine Shape Fog Lamp

For JB23/43 E00017 ¥1,800 piece



Equivalent to genuine product. Glass lenses are used, and the optical axis adjustment function is also included. Sold as a single unit with H11 bulb. E-marked. Requires lamp stay, connector, switch, etc. for installation on models JB23-5 and earlier. Some external bumpers may require modification.

UFFLER Muffler for JB23/33/43

Links Muffler For JB23/33/43

P00002 New standard compliant product ¥51,000

P00003 Type S ¥46.000





The main pipe is set at 50φ. It has enough torque at low rpm and blows up smoothly

《All models of JB23, JB33/43 before March 2010》Proximity noise value: 87dB Acceleration noise value: 81dB

the car.

when parking

Jointly developed with 5ZIGEN, a long-established muffler manufacturer. Left-hand muffler compliant with the new noise standard imposed on vehicles manufactured after April 2010. Main pipe 50ϕ (with 45ϕ aperture at the tycoon section), tail end 70ϕ down shape, all stainless steel. Type S is also available, which is a full 50φ version of the above model without the center pipe muffler and without the aperture in the rear tie-coil. Although it is a straight shape, it has torque at low rpm and blows up smoothly to high rpm.





INTERIOR Interior for JB23/33/43

Aluminum Assist Grip For JB23/33/43 ¥2,500 each/one

¥7,000 each/set of 3

100175 Silver 100176 Black 100170 Silver 100171 Black I00177 Red I00178 Blue I00172 Red I00173 Blue

The high-quality aluminum material is anodized in a variety of colors. The bright colors and glossy texture add a touch of elegance to any interior. The genuine assist grip provides a high level of rigidity that you won't find in a genuine assist grip. It also has a great feel and fit. The anodized surface is also resistant to rust and corrosion,

making it durable. Easy to install with just one screwdriver. *Installation screws included



Clutch Start Cancel Switch For JB23/43 000012 ¥6,300 unit

《Compatible with JB23-5 or later and JB43-4 or later》 Turn the switch ON to start the engine without stepping on the clutch, and turn it OFF to return to the normal state. This can be used for off-road driving or in an emergency to start the car by turning the cell

Leather Wrapped

100030 Red 100031 Silver

Door Grip



phone while the car is in gear. It can also be used conveniently when using a bed kit for overnight stays

Leather-wrapped Assist Grip Type 1

For JB23/33/43 **¥5.300** each/piece

100026 Gray/Red 100027 Gray/Silver

100028 Dark Grav/Red 100029 Dark Gray/Silver





High quality black genuine leather is used and stitched at the edge. Can be attached to the driver's seat, front passenger's seat, and rear seat. The base

grip is available in gray or dark gray, and the stitching color can be selected from red or silver. Made to order



For JB23-5, JB43-4 or later models

genuine leather and stitched at the edge. Stitching colors are red, blue, black, yellow, and silver. Sold as a left and right set. Made to order

Leather-wrapped Assist Grips Type 2

For JB23/33/43 **¥5.500** each /piece 100049 Gray/Red





Wrapped in high quality black genuine leather that fits comfortably in the hand, with stitching on the edge and back side. Compared to Type 1, it is easier to grasp by extending it downward. Stitching colors are red, silver, and can be ordered. The base grip is available in gray or dark gray. Can be attached to other car models as long as the mounting pitch is 157mm. Made to order.

JB23/33/43

SUSPENSION Suspension Parts for JB64/74

For those who mainly drive for competition and off-road...

SG Adjustable Coil 60 For JB23/33/43 S00040 ¥35,000 per/car

By cutting the upper part of the coil where the wires are closely connected, it is possible to adjust the ride height and front/rear/right/left balance (30-60mm) without affecting the spring rate. The ride height can be increased by 60mm (2.5 inches). Although the

ride quality is good enough for city driving, it is designed for off-road and competition use.

Front neight up for 3633 and 3643 is 10~13111111					
Coil Spring	FL	FR	RL	RR	
Spring Rate (kg/mm)	2.20	2.20	1.97	2.02	
Free Length (mm)	376	396	357	387	



Based on PADOKKU Bilstein shocks, set for JB23/33/43. 50~60mm up.

SG Adjustable Coil 60 Bilstein Shock Set

For JB23/33/43 Set includes SG Adjust Coil 60, Long Brake Hose, Caster Dream, Lateral Rod ★1, Bilstein Shocks *Contents may vary depending on the set.

This suspension set was designed with competition in mind and has achieved numerous results at JSTC events around the world. It can be used for all purposes from street driving to competition. The weak overcoil characteristic allows the car to turn by throttle control instead of steering angle by

stepping on the accelerator pedal aggressively. By cutting the wire-to-wire contact area at the top of the coil, it is possible to adjust the ride height and the front/rear/right/left balance. The amount of ride height increase is 60mm (2.5 inches). *The amount of front height increase for JB33 and JB43 is about

SG Adjustable Coil 60 Bilstein Shock Set

Standard Set **¥235.000**

SG Adjustable Coil 60 Bilstein Shock B Set Standard Set + High Capacity Bump Rubber *2 ¥242.000

SG Adjustable Coil 60 Bilstein Shock BA Set

andard Set + High Capacity Bump Rubber ★2

Front/Rear Reinforced Arm **3 **325,000



The ride quality can be freely adjusted to

suffyour dding style and situation.

Shock

SG Adjustable Coil 60 AS8 Shock Set

For JB23/33/43 Set includes SG Adjustable Coil 60, Long Brake Hose, Caster Dream, Lateral Rod *1, AS8 Shock *Contents may vary depending on the set.

This set combines SG Adjustable Coil 60 and AS8 shock with damping force adjustment. Recommended mainly for city driving. By cutting the wire-to-wire contact area at the top of the coil, the ride height and front/rear/right/left balance can be adjusted. The ride height can be increased by 60mm (2.5 inches). *The amount of front height increase for JB33 and JB43 is about

SG Adjustable Coil 60 AS8 Shock Set

Standard Set ¥ 158,000

SG Adjust Coil 60 AS8 Shock B Set Standard Set + High Capacity Bump Rubber *2 ¥ 169.000

SG Adjust Coil 60 AS8 Shock BA Set

Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm *3 *255,000

- ★1: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.
- ★2: Bump rubber hardness can be selected from hard, soft, and super soft. We recommend soft front and super soft rear.
- ★3: The color of reinforced arm can be selected from Gunmetal, Red, Black

Adjustable Lateral Rod For JB23/33/43 Parts to correct suspension that causes lateral misalignment due to ride height change. By optimizing the geometry, it reduces body wobble, etc.

Adjustable Lateral Rod Stainless Steel S00052 For front **¥22.500** S00053 For rear **¥22.500**



Made of stainless steel, rust-resistant and strong Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically

Adjustable Lateral Rod Genuine processed products For front ¥25,000 each For rear ¥21,000 each



Superior durability due to stock rod processing. The rod ends are rubber bushings. Available in red, black, gunmetal, and blue.

	Red	S00720 For front	S00730 For Rear
	Black	S00721 For front	S00731 For Rear
	Gunmetal	S00722 For front	S00732 For Rear
7	Blue	S00723 For Front	S00733 For Rear

For those who mainly drive in town and off-road... SG Adjustable Coil 75 For JB23/33/43 S00041 ¥35,000 per car

The SG Adjustable Coil 75 is designed for city to off-road driving, and although it depends on the characteristics of the combined absorber, it does not have an uncomfortable thrust, but absorbs it softly while suppressing roll. The spring rate is

maintained by cutting the coil upper part where the wires are closely connected, and the ride height can be adjusted between 45 and 75 mm. Front/rear/right/left balance adjustment is also possible. The vehicle height can be increased by 75mm (with spare tire and rear seat).

Tone neight up amount is 10 15 min lower for 3555 and 3545.					
Coil Spring	FL	FR	RL	RR	
Spring Rate (kg/mm)	2.18	2.18	2.20	2.20	
Free Length (mm)	387	410	372	397	



SG Adjustable Coil 75 Solve Shock Set

For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod *1, solv-shock, rear lateral rod correction bracket *Contents may vary depending on the set.

S00230

S00231

Intended for street and off-road driving. Uncomfortable thrust is softly absorbed while roll is minimized. Ride height is increased by 75mm (3 inches) with spare tire and rear seat.

*Front ride height is 10~15mm lower for JB33 and JB43.

SG Adjustable Coil 75 Solv Shock Set

Standard Set ¥ 146.000

SG Adjustable Coil 75 Solv Shock **B** Set

Standard Set + High Capacity Bump Rubber ★2 ¥ 157.000 SG Adjustable Coil 75 Solv Shock BA Set

Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm*3 ¥250,000

according to tiding style and situations.

SG Adjustable Coil 75 AS8 Shock Set

For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod *1, AS8-shock, rear lateral rod correction bracket *Contents may vary depending on the set.

This set is recommended for both city driving and off-road driving. 8-step adjustable shock absorbers allow you to adjust the ride quality to your preference. The ride height can be increased by 75mm (3 inches) for vehicles with a snare tire and rear seat

*Front ride height is 10~15mm lower for JB33 and JB43.

SG Adjustable Coil 75 AS8 Shock Set

Standard Set ¥ 165,000

SG Adjustable Coil 75 AS8 Shock B Set

Standard Set + High Capacity Bump Rubber *2 ¥ 176.000

SG Adjustable Coil 75 AS8 Shock BA Set

Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm *3 ¥263,000

- *1: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.
- ★2: Bump rubber hardness can be selected from hard, soft, and super soft. We recommend soft front and super soft rear.
- ★3: The color of reinforced arm can be selected from Gunmetal, Red, Black,

Rear Lateral Rod Correction Bracket For JB23/33 S00799 ¥7,000

Bracket to correct the rear hosings' lateral rod mounting position upward by approximately 50mm when raising the vehicle height. It reduces scuffing change and improves driving stability.



deteriorated over time. cracked, or broken. By refreshing the rubber ends, lost handling and ride comfort

Sway Bar Down Spacer 25mm

For JB23/33/43 By lowering the

The Photo shows standard set.

installation position, it corrects the angle of the sway bar links on a lifted vehicle and makes the sway bar work more efficiently. Material: Aluminum, Black in color.



¥4,300 right/left set ¥4,800 right/left set

Quick Body Mount For JB23/33/43 S00031 ¥6,000 per/car

The shape of the stock bushings has been reviewed to increase rigidity. Reduced yawing between the body and the frame, reduced body wobble and roll, improved turning performance, and more straightforward transmission of suspension movement. This set includes only 8 replacement parts, which can be done in a short time without the need to detach the frame. You can experience the effect of replacing only half of



the 16 parts. There is no increase in unpleasant vibration or noise due to the replacement. There is no change in vehicle height. Useful not only for vehicles with deteriorated mounts, but also for replacement when the vehicle is new. Also effective for body lifted vehicles





\$00030 \\ \mathbf{4}11.000\text{ per/car}

The body and frame need to be separated, but we recommend the full set of reinforced body mounts for those who want more effectiveness.

JB23/33/43 OTHERS



SUSPENSION Suspension Parts for JB23/33/43

High Capacity Bump Rubber For JB23/33/43

Front ¥4.200 each

S00001 Hard (hardness 70)

S00002 Soft (hardness 60)

soooo3 Super Soft (hardness 50)

Rear ¥3,300 each

S00004 Hard (hardness 70) S00005 Soft (hardness 60)

Necessity of

larger capacity

Bump rubber with significantly increased capacity compared to stock. Overall length is 125mm, about 65mm longer than stock. Can be easily cut with a cutter knife and adjusted to suit the application. Bolt-on installation. The front bump rubber is about 80mm longer than stock with the included 15mm spacer. If you cut off the plate where the stock bump rubber fits, you can install without using the spacer, and you can install without sacrificing (cutting) the bump rubber capacity for the clearance (15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption in speed competitions. Super soft type (hardness 50) is

excellent in shock absorption and can be used for both front and rear bumps in speed competitions, but is especially recommended for rear bumps. For reference,

soooo6 Super Soft (hardness 50) the factory bump rubbers are all hardness 70. First of all, it greatly increases shock absorption. Also, by extending the overall length, bump rubbers can be used more aggressively to prevent contact bump rubber with between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a higher spring rate, and can provide a sense of stability when cornering on-road as well as off-road.





Rear Bump Block Exclusively for high-capacity bump rubber



For JB23/33/43 ¥6,000 right/left set

Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on installation, enabling W-bump specification. *A separate high-capacity bump rubber is required.

Rear Bump Extension Block for high-capacity bump rubber For JB23/33/43



¥7.000 right/left set s00038 50mm ¥4.800 right/left set S00039 25mm

S00037 Full set

This is a set of extension blocks ¥2,800 right/left set and bolts for shortening the

rear high-capacity bump rubber. By shortening the bump rubber, it reduces swaying and bending for a more stable touch. 25mm and 50mm can be used as a set for 3-step adjustment up to a maximum of 75mm

Coil Spacer For JB23/33/43 S00063 10mm ¥4,900 piece S00064 15mm S00065 20mm

¥5,200 each /piece

Aluminum coil spacers for ride height adjustment (front/rear balance, etc.)



Coil Spacer 5mm For JB23/33/43 ¥2,500 each / set of 2 S00066 For front S00067 For Rear

5mm coil spacers for ride height adjustment. Can be used as 10mm spacers by overlapping. Includes a turn stopper.

Resistant to bending and breaking.

Reinforced Arm For JB23/33/43

Made of STKM13A and 5mm thick, these arms are much stronger than the genuine arms, which tend to bend and break easily. Wheelbase, caster angle, hosing angle, etc. have been corrected. Corrects suspension misalignment caused by inch-up and secures the original performance of suspension. Bushings are already press-fitted. Available in gunmetal, red and black.

Reinforced Leading Arm For front ¥55,000 each / right and left set

For front. Extends +6mm (for 2") and +10mm (for 3") to compensate for wheelbase. It prevents interference between the tires and fenders. Caster angle has also been corrected to 5.2° (for 2-inch) and 7.9° (for 3-inch).











Longer and reinforced compared to normal reinforced trailing arms.

S00091 3 inch

Black S00101 2 inch S00102 3 inch

Reinforced Trailing Arms For rear ¥51,000 each / right and left set

For rear. The hosing part is 22mm thick and shaped to secure load clearance. The horsing angle has been corrected (2.1°) for lift-up.





S00121





Reinforced Trailing Arm (Angle Correction Reinforced Type) For rear ¥68,000 each /right and left set

For rear. Compared to the conventional reinforced arms, the ribbed part has been extended to increase durability against bending. Recommended for off-road driving.







High Capacity Figure-8 Bump Rubber

For SJ30 JA11/12/22 JB31/32 front ¥3.300 each/piece

Hard S00015 (hardness 70)

Soft S00016 (hardness 60)

Super soft S00017 (hardness 50)

Compared to conventional figure-8 bump rubbers, the hollow portion

has been reduced to 1.5 times (50mm) thicker, 1.25 times (100mm) taller, 84mm wider, and 2.4 times larger in capacity. The rigidity of the product itself is increased, so it is less likely to warp or sag, and it hits the hosing more firmly. The mounting portion

has been machined with long holes, allowing adjustment of the contact position. Please choose the hard type for those who want a firm fit, and the soft or super soft type for those who want shock absorption.

《Optional brackets are required for JB23, JB33, and JB43》





omparison with the figure-8 bump rubber sold in the past. Capacity is approximately 2.4 times greater.

Bump Bracket Exclusively for high capacity figure-8 bump rubbers

For JB23/33/43 front ¥6,500 each /right/left set

s00035 For JB23 s00036 For JB33/43 Brackets for installing



high-capacity figure-8 bump rubbers on the front. Installation is by welding. Conventional figure-8 bumps can also be installed. Bumps are mounted with button bolts to prevent damage during full bumping. Can be used in conjunction with cylindrical high-capacity bump rubbers for W high-capacity bump specifications.

For JB23/33/43 rear \$00033 **\Rightar \$8,800** right/left set



capacity figure-8 bump rubber on rear. Height 25mm, figure 8 bumps of conventional products can also be installed Mounting holes of the bracket

are pre-machined with long holes for front/rear position adjustment. Button bolts are used for bump mounting to prevent damage during full bumping.

S00029 For JA71 SJ30 ¥10,000 right/left set S00034 For JA11 JB31 ¥10,000 right/left set



Bracket for rear of JA11 etc. In addition to the high-capacity figure-8 bump rubber, the genuine JA11 front and conventional figure-8 bump rubbers can also be installed. Height: approx. 20mm, fixed by

co-tightening with U-bolts. Button bolts are used for bump installation to prevent damage at full bump.

Front Shock Guard For JB23-2 type or later/JB43

¥11.500 each \$00504 Gunmetal

S00505 Black S00506 Red

Securely guards the bracket on the underside of the

front shock. Protects from impact and improves running performance. Steel 4.5mm thick. Red paint. Installation requires enlarging the hole.

Pillow Bush for Pivot, Set of 2 For JB23/33/43 \$00097 \\ \pm22,000 \text{ each / set of 2}

For use on the pivots of the leading arm and trailing arm to strengthen the suspension fan and reduce alignment changes. Sold in sets of 2.

*Two sets (4 pieces) are required for one car.

Manual Hub Installation Kit For JB23/33/43

This kit converts the air locking hub adopted from JB23 to the manual hub

mechanical problems such as negative pressure leakage and it is difficult to visually

check the locking status, we recommend the conversion to a manual hub that is

highly reliable and operates reliably when the need arises. *Specifically, a genuine

Suzuki freehub for JA11 or JA22 and a cone washer to install the freehub are

Parts for competition use.



HERS Other parts for JB23/33/43

Propeller Shaft Spacer 10mm For JB23/33/43

S00019 ¥7,600

Prevents the constant velocity joint part of the rear propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary when driving off-road with a ride height increase of 3



Super Oil Seal For JB23/33/43 D00023 ¥2,100 piece This seal for the rear hub is much more resistant to oil

leakage than the factory seal. The part in contact with the shaft is floating and follows the movement of the shaft for a reliable seal. Also, the contact surface with the hosing, which is steel in the genuine product, is covered with rubber, so even if it is corroded and rough it will seal flexibly

Hub Nut Without Brim

For JB23/33/43 D00032 ¥3,000 piece

Repair parts for the manual hub installation kit.

Sold as a single unit. Cannot be used on vehicles

with genuine air locking hubs. Instruction manual



D00030 For JA22 freehub ¥7.000 unit



¥11.400 unit

Freehub Bolt Set

For JB23/33/43 D00025 ¥3,200 unit 《Compatible with all Jimny models》

Set of high strength bolts, spring washers, and cone washers

for fixing the freehub. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured to prevent damage to the bolts



Free Hub Cover Gasket

D00016 ¥180 piece

Suzuki part number 43813-60A00. this gasket is used for the front suspension free hub. One gasket is used on each side and two gaskets are used for one car.

is not included as this is a repair part



Suzuki part number 43842-80001. these gaskets are used for the free hub of the front undercarriage. One packing is used for one side, and two are used for one car.

Free Hub O-ring General purpose

D00014 ¥290 piece

Suzuki part number 43838-60A00. o-rings are used in the free hub of the front undercarriage. One O-ring is used on each side and two are used for one car

Showa GARAGE offers a variety of items to expand the possibilities of car life other than Jimny.





general-purpose base carrier.

Lightweight Aluminum ROOF RACK Can be installed on various

A center L size super wide/with foot r has been added to prevent resonance noise*! *A strange noise that occurs when the roof rack itself resonates due to various

No base carrier required. Includes a special foot that enhances the sense of unity with the rack. Special design model for rain gutters.



Size		Weight (kg)	Number of foot (pcs)	Dimensions (outside)	Dimensions (inside)	Price
M	E20050	10.5	4	140×105×13cm	110×97cm	¥51,000
M Super Wide	E20008	11.4	4	140×125×13cm	110×117cm	¥56,000
ML Super Wide	E20054	13.0	4	150×140×13cm	120×132cm	¥69,000
L Wide	E20051	14.2	6	170×125×13cm	140×117cm	¥72,000
L Super Wide	E20052	15.4	6	170×140×13cm	140×132cm	¥78,000
LL	E20053	17.8	8	200×125×13cm	169×117cm	¥81,500



ML Super Wide **£20054** ¥69,000

Weight: 13.0kg Number of feet: 4 Dimensions (outside): L 150cm W 140cm H 13cm Dimensions (inside): 120cm × 132cm











Size		Weight (kg)	Dimensions (outside)	Dimensions (inside)	Price
S	E20003	6.5	110×90×13cm	80×82cm	¥34,000
M	E20001	8	140×100×13cm	110×92cm	¥38,000
M Wide	E20007	8.6	140×115×13cm	110×107cm	¥43,000
M Super Wide	E20009	9	140×125×13cm	110×117cm	¥46,000
L	E20005	9.4	170×110×14cm	140×102cm	¥53,000
L Wide	E20010	10.4	170×125×13cm	140×117cm	¥56,000
LL	E20006	11.4	200×120×15cm	169×112cm	¥60,000
ML Half	E20011	6.9	150×62×13cm	120×55cm	¥36,000









Protective cap for U-shaped bolt General purpose for A-x Roof Rack Standard Type

E20106 ¥600 8pcs.

This cap covers the U-shaped bolt on the mounting bracket. Avoids direct contact between the load and the metal part at the end of the bolt and prevents damage. Please cut off the excess portion according to the amount of protrusion before



This model has a foot-long stay for high-roof vehicles. It is suitable for vehicles with a roof height of 20 cm or less from the rain gutters. Height can be adjusted.

Size		Weight (kg)	Number of foot (pcs)	Dimensions (outside)	Dimensions (inside)	Price
M Super Wide	E20070	11.4	4 1	40×125×13cm	110×117cm	¥58,000
L Wide	E20071	14.2	6 1	70×125×13cm	140×117cm	¥75,000
LL	E20073	17.8	8 2	00×125×13cm	169×117cm	¥85.500







Lightweight Aluminum Roof Rack for High Roof Type Exclusive for N-VAN





Rust-resistant and extremely lightweight aluminum roof rack including the main body and foot sections. The base carrier is not necessary as the foot is included The shape of the stays has been partially modified to the N-VAN and optimized to fit the N-VAN's distinctive rain gutters. Clearance between the front seats and th sliding door is secured,

*Not compatible wi

160	allowing for safe use			
	without interference.			
*Not compatible with low roof				
(+STYLECOOL to	ype).			

g arrangements	L size wide/with foot
d. fit the the	9

Size		Weight (kg)	Number of foot(pcs)	Dimensions (outside)	Dimensions (inside)	Price
M Super Wide	E20075	11.4	4	140×125×13cm	110×117cm	¥58,000
L Wide	E20076	14.2	6	170×125×13cm	140×117cm	¥75,000

Base Sheet for Hook IN103 General purpose : UNIFAS iGuard Anti-theft Bolt/nut General purpose

E20032 For 4 carriers ¥800 4 sheets E20034 For 6 carriers ¥1,200 6 sheets

Protective sheets to prevent scratches on the roof caused by mounting on carriers. Can be applied to curved surfaces without fail and can be removed cleanly without leaving adhesive residue. The special transparent sheet is not noticeable



E20037 For Roof Rack Standard ¥4,500 set of 2

Innovative screw kit with a high degree of security. The use of stainless steel makes it resistant to rust and protects the car in a visually pleasing manner.





CAMP GEAR Camping Gear



A-x Awning General purpose E20120 2000×2500mm ¥33.000

The A-x awning is easy to set up and clean up. It works well with the roof rack, and after storing it, it can be compactly stored on the side of the rack without reducing the load capacity. The canvas is made of 420D oxford and has a water pressure resistance of 3000mm. The telescopic aluminum poles are easily height-adjustable and can be used flexibly according to weather and sunlight. The

soft case is also made of a durable material. Can be attached to other manufacturers' roof racks if the size fits. Pegs and guy ropes included. 2.0m(W)x2.5m(L),













A-x Roof Rack with Foot Type Exclusive General purpose Awning Mounting Stays E20110 Set of 2 ¥5,500



E20111 Set of 3 ¥8,000 Made of stainless steel, with bolts for attaching to

the rack. Compatible with various awning manufacturers. Mounting pitch 40-50mm, M6, M8, ARB and BLAST TRAIL have already confirmed Awning mounting screws are not included.

A-x Roof Rack Standard Type Awning Mounting Stays

E20112 Set of 2 ¥11,600



Stainless steel stays for attaching an awning to the A-x Roof Rack E20113 Set of 3 ¥17,400 Standard Type. Completely bolt-on, no modification required. Includes all necessary bolts for attaching to the roof rack. All bolts are made of

rust-resistant stainless steel. The mounting pitch is 35-65m and the bolts are M6 or M8. Compatible with awning products from various awning manufacturers; products from ARB and Blast Trail have been tested for compatibility. *Bolts and nuts for attaching awnings are not included.

General-purpose for Awning **Mounting Stays**




General purpose **E20109 ¥1,500**

Stay for attaching A-x awning to general-purpose basecarriers. Please use your own ingenuity to mount the awning by pinching it or drilling a hole to fix it in place. May not be used depending on the car model, base carrier, etc. *Bolts and nuts for attaching the awning are not included. We do not provide advice on how to install the awning. Please install the awning after careful consideration of its strength and other factors in accordance with the environment in which you will be using the awning









Aluminum Outdoor Chair ¥3.900 each

001005 Blue 001006 Orange Lightweight and compact. The seat is made of

durable oxford. The seat is partially constructed of mesh to ensure ventilation

- Size (approx.): 105×59×70cm Seat height: 46cm • Storage size (approx.): 43×15×15cm
- Weight (approx.): 1.2kg

001010 ¥8,200

his low table is made of natural

into outdoor scenes. Easy-to-use

materials that blend naturally

• Size (approx.): 120 x 60 x 46/42 cm

Accessories: Main unit / Storage bag

size that is not too high for

children.

*Height adjustable

- Load capacity (approx.): 150kg
- Accessories: main unit / storage bag
- Materials: 7075 aluminum alloy / high-quality plastic holder / Oxford (900D)

Wood Roll Top Table

• Storage size (approx.): 70 x 25 x 17 cm • Weight (approx.): 6.8 kg

of the cargo hanging angle. Made of resin with

objects. Moderate

elasticity of approximately

150% for both

ease of use and

● Load capacity (approx.): 40 kg ● Material: Natural wood (beech)



Wood Outdoor Chair 001001 ¥6,500 The natural texture of canvas and wood


harmonizes with your favorite outdoor space The seat can be easily removed for washing.

- Size (approx.): 90×52×70cm
- Seat height: 45cm
- Storage size (approx.): 110×17×15cr
- Weight (approx.): 4.2kg
- Load capacity (approx.): 120kg
- Materials: Canvas / Wood
- Accessories: Main unit / Storage bag

Aluminum Roll Top Table 001011 ¥4,800

The aluminum tabletop is resistant to heat and can be easily wiped clean. The height can be adjusted to suit the scene

- Size (approx.): 75×55×44/34 cm
- *Height is adjustable. The height can be selected from 44 or 34 cm depending on the position of the legs.
- Storage size (approx.): 57×17×17cm
- Weight (approx.): 2.8 kg Load capacity (approx.): 25kg Material: Aluminum, plastic
- Accessories: Main unit/Storage bag



*Compatible with A-x Roof Rack M Size Wide, M Size Super Wide, L Size, and L Size Wide

E20047 L size (120cm×100cm) ¥3,300

The size of the corresponding net varies greatly depending on the actual roof rack used and the shape and quantity of the cargo. Please select the size of the product after considering the elongation rate of the product.

Maximum Selection at Maximum S

atible roof rack sizes are approx

Size S (90×90)	150×150	166				
Size M (100×100) 160×160	160				
Size L (120×100) 180×160	150×160				
*The elongation rate is measured by hand, so there is a						

*Available for A-x Roof Rack L size, L size wide,




All of Lightning's LED lights are compliant with safety standards and have been designed to prevent high-flash.

Jimny LED Tail Lamp For JB64/74 ¥31,000 each /right/left set



All LED original tail lamps. Can be installed on the factory bumper or outside bumper. Blinkers (16 LEDs per side) are sequential lighting toward outside (switchable to normal lighting). LED bar type (34 LEDs per side) for the small lights, 25 LEDs per side for the brake lamps, and 6 LEDs per side for the back-up lamps. Includes a resistor to prevent high-flash, ABS lamps, and ESP lamps from lighting up incorrectly.





F00162 Clear/White har

E00164 Red/Inner Black

E00167 Light smoke/White bar





With the small light on, 9 LEDs (per side) on the LED tube, 12 LEDs (per side) on the brake, and 8 LEDs (per side) on the turn signal will flash. You can switch between sequential and normal lighting. Measures have been taken to prevent the high-flasher and ABS lamp from lighting up. If you want to install this on a JB33 or JB43, you will need to modify the wiring on the vehicle side. 1-year warranty. Fogging due to condensation is not covered by the warranty.

Jimny LED Tail Lamp

Jimny LED Fog Lights Inner Black For JB23/33/43/64/74

¥12.600 each /right/left set





The inner lenses are black for a calm appearance, 5W x 3 LEDs. IP68 waterproof and dustproof design. Aluminum housing with heat sink, polycarbonate lens and body material, with optical axis adjustment function. Two colors are available: white for high visibility and fashionable, and yellow for easy visibility in bad weather conditions such as rain, fog, and snow.



E00014 White



Jimny LED Back Lamp For JB23/33/43 ¥6,000 each /right/left set

8 projector type LEDs (5700k) are used per side. They are much brighter than the genuine ones and ensure safe visibility when backing







Truck Double LED Tail Lamp All-in-one model that replaces the factory two-lens with a sporty and For Truck ¥53.500 each /right/left set



E30040 Clear/



Light smoke/ Red bar



E30045 Light smoke/ White bar







Truck Triple LED Tail Lamp For Truck ¥62,500 right/left set All-in-one model that replaces the factory triple lamps with

stylish look with built-in small, brake, blinker, and back-up lamps and


reflectors. Inner black is available with or without luster to match the



E30030 Clear



E30032 Light smoke







N-VAN **LED Tail Lamp**

lighting is also available.

For JJ1/JJ2 ¥45.000 right/left set

The contrast between the bold bar-type LEDs and the all-black body of the N-VAN makes the Honda N-VAN even more attractive. The mechanical design of the inner parts goes well with the flat and boxy silhouette. All-in-one model with brake, blinker, back, small, and reflector built in. Includes a resistor to prevent high-flash. Sequential















PROBOX LED Tail Lamp For 50/160 series ¥45,000 right/left set

Showa Garage's fully original model exclusively designed for PROBOX, which adds a playful touch to business cars. Clear lens model with vivid contrast between red bar and inner black. Built-in brake, blinker, reverse, small, and reflector. Equipped with high-flash prevention resistor. Sequential lighting is also available.









N-BOX LED Tail Lamp For JF1/2 ¥20,000 right/left set *N-BOX Slash is not compatible.







All lights on Blinkers Turned off

LED tail lamps for the first generation N-BOX (JF1-2), which became an unprecedented hit with sales exceeding 1 million units in the shortest time ever. The inner black color tightens up the rear area. The blinkers can be switched between sequential (LED bulbs only) and normal lighting. Includes 6 small LED bars, 30 brake LED bulbs, 1 blinker LED bar + 10 LED bulbs, and 1 back LED bar + 5 LED bulbs.



DELICA D:5 LED Tail Lamp For early model \\ \pm 33,000 \text{right/left set}



Original all-LED tail lamps with a contrast between the rear garnish and inner black to give the unique tail area an impression. The square design of 4 bar type LEDs placed on one side matches the body shape of DELICA perfectly. Two rows of 6 indicator LEDs on each side turn outward sequentially (switchable to normal lighting). LED bar type for the smokers and 2 rows of 6 LEDs per side for the brake lamps. Resistors are included to E30000 Clear/Red bar prevent high-flash, ABS lamps, and ASC lamps from lighting up incorrectly.











- *A separate resistor may be required depending on the car model and installation method
- *Depending on the installation method, the product may not be compliant with safety standards. Please check in advance before purchase.



Lighting Design and Technology

HIJET Truck LED Tail Lamp / LED Backup Lamp For S500P.510P early model

LED tail lamp ¥36,000 each/right/left set



E30080 Clear/Red bar



E30081 Light smoke/Red bar




E30082 Clear/White bar



E30083 Light smoke/White bar

LED tail lamps with variations on the inner body and a lineup of different styles: matte

black for clear and gloss black for light smoke.



brighter than the genuine lamps, making it easier to drive backwards. The combination of tail lamps and backup lamps creates a more stylish rear area









Backup Lamp ¥6.800 each



Clear/Chrom



Light smoke/Chrom





Light smoke/Black

CARRY LED Tail Lamp / LED Backup Lamp For DA16/63/65



The inner body of the LED tail lamp is available with or without luster to match the lens color. The blinker part, which also serves as a small light, has a three-dimensional structure, creating a style beyond its class both when the light is on and when the light is off. The brake has 9 LED bulbs in the center. The blinkers can be switched between sequential and normal lighting depending on the connection method used when wiring. Easy installation with just a coupler-on connection. LED back lamps using 12 bulbs of high brightness LEDs are much brighter than the genuine lamps and can be used when backing up. Combination of tail lamps and backup lamps creates a more stylish rear area. * Wiring modification and a separate reflector are required when installing on DA63/65.









Backup lamp ¥5.500 each





E30065 Light smoke/Red bar



INTERIOR Interior for CARRY

Seat Cover Old Series Exclusive

for Super Carry For DA16 Front set ¥20,000 each

















Light smoke/


Clear/Chrome

Light smoke/

Outstanding fitting that can only be achieved by designing exclusively for the car model. It protects the genuine seat and creates a comfortable interior space without sacrificing functionality. The material used is PU leather, which is easy to maintain. The vintage style











seatback table on the

SUSPENSION Suspension for HIACE and CARAVAN

High Capacity Soft Bump Rubber

\$20001 For 200 series HIACE \$20003 For NV350 CARAVAN

Greatly improves rice comfort ¥8.900 each /right/left set



For low-down customization, more comfort, more luxury.

Easy installation with bolt-on design to replace the factory unit. Sold as a left/right rear set.

Adjustable! Easy to cut with a cutter knife!

Cutting and adjustment can be made for installation when the gap between the frame and the hosing is small due to the amount of mounting or lowering.

*The more it is cut, the less capacity it has to absorb shocks.

Greatly reduces the impact of bump touches that occur when the suspension contracts on rough roads with severe bumps, road surface undulations, and bumps. By reducing the hardness and increasing the capacity of the bump rubber compared to the factory bump rubber, the shock is firmly absorbed and the ride is surprisingly comfortable. Recommended for heavy loads and cargo, such as interior campers, welfare vehicles, lowered vehicles, transporters for motorcycles and marine sports, delivery vehicles, and more.















Soft and 《For 200 series HIACE》 higher capacity than genuine!

Testimonials from installers

I had a tool sale van loaded with a large amount of tools The tools used to fly all over the place where there were

▶▶ The vehicle, which is 3 inches down Very soft and supple. Even on a road where the rear end always feels like it is going out of control, it is now able to pass through as smoothly as a car with a spring.

Digital Clinometer

No need to worry about errors even with large-diameter tires! GPS speedometer you can use!

Digital Clinometer Type 2

General purpose For 12V and 24V cars 000017 ¥16,300

Multifunctional digital clinometer that displays roll (right/left tilt) angle, pitch (front/rear tilt) angle, interior temperature, clock, voltage, speed, azimuth (8 directions), elevation, etc. on the display. This provides peace of mind in knowing more about the condition of the vehicle and the conditions in which it is placed. Above all, the driver's seat, surrounded by instruments, creates a personal cockpit atmosphere and enhances the driver's mood. Various information is provided through displays and sounds. GPS speedometer function that is not affected by the tire diameter. Selectable display of kilometer or mileage. Installation is as simple as installing the main unit, various antennas and sensors, and plugging the cigar plug into the socket. Instruction manual included. Dimensions:19.0cm(W)×10cm(D)×6cm (H) 1-year warranty





1: Graphic (scale) and numerical displays are provided. 2: Numerical values and bar graphs are displayed. 3: Date, time, and day of the week are displayed. 4: Indoor thermometer and voltage are automatically switched.



This face towel features the same design as the side decals of the Showa Garage complete car. Dyed and woven in Imabari, Shikoku, one of the three major towel production areas in Japan. It can be used not only for outdoor activities, but also in the kitchen, bath, as a scarf or bandana, or as a cover for pillows and cushions, etc. It is a versatile size that can be used for any purpose. *Please note that the color may fade or migrate in the early stages of use, so please wash separately from

other items. Do not use chlorine bleach.

000111 White 000121 Black

A-x Logo Sticker White (cut out)










This muffler towel features the same design as the side decals of the Showa Garage complete car. It is dyed and woven in Imabari, Shikoku, one of the three major towel production areas in Japan, and has a perfect texture to the touch. The towel can be literally wrapped around the neck or used as a face towel. The small size is ideal for events and leisure activities.

*Please note that the color may fade or migrate in the early stages of use, so please wash separately from other items. Do not use chlorine bleach

"Namonaki" White Letter Cleaner & **Resin Gloss Protector**

The set includes a bottle and atomizer, brush, cloth, sponge, and rubber gloves.

000100 Yellow



Original Sticker

Showa GARAGE Logo Sticker Metal×White (cutout/18cm)

◆ Showa GARAGE Logo Sticker (Oval/15cm)

 Showa GARAGE Logo Sticker White (cut out) 000112 25cm ¥1,500 000110 12cm ¥600



LIGHTNING Logo Sticker White



♦ High Capacity Bump Rubber Metal Sticker

000151 14cm ¥700

◆High Capacity Bump Rubber Sticker (cutout/20cm) ¥800/each 000140 ホワイト 000141 ブラック

000101 Gray

Showa GARAGE supports your Jimny lifestyle.



proud of our participation in numerous competitions such as Off-Road Challenge Speed and TACTICAL DIRT ATTACK, and of the many prizes we have won. The solid knowledge and skills cultivated through these races are steadily fed back into the development of our original parts, which we deliver to our customers on a daily basis. In addition, we travel all over the country to promote the appeal of Jimny through various motor shows, events, and racing activities. We also organize many events for beginners to enjoy, such as off-road trial experience at our company-sponsored events.

- 2023 Series 2nd place (4 rounds, 2 winners)
- 2022 Series champion (4 rounds, 1 winner, 1 3rd place)

Tenjinyama Cup RV class

• 2022 Series champion (5 rounds, 3 winners)

TDA (Tactical Dirt Attack)

• 2022 Series Champion (4 rounds, 4 winners)

Off-Road Challenge Speed

- 2023 Series Champion (4 rounds, 3 winners, 2nd place)
- 2022 Series Champion, etc.

For more information, please visit our website. For the latest information, etc., please visit our social networking service (SNS).

Showa Garage Official Website

ショウワガレージ



Showa Garage Official SNS











The parts listed on this site are available at Jimny stores, 4WD stores, and mass retailers. You can also purchase them on the Internet.



https://www.showa-garage.shop/



YAHOO! Showa GARAGE Yahoo Shopping https://store.shopping.yahoo.co.jp/showa-garage/ https://store.shopping.yahoo.co.jp/showa-garage/



Rakuten Ichiba https://www.rakuten.co.jp/garage-showa/





《Corporate Official Shopping Site》 **Showa Garage Online Shop** https://www.showa-garage-g.shop/



The latest simulation system that allows you to customize your Jimny in a VR space! Please experience it for yourself!





